Produktdatenblatt

DEKO-LIGHT
ELEKTRONIK VERTRIEBS GMBH

Artikel Nr.: 341164

Wandaufbauleuchte, Pixi, Weiß, 220-240V AC/50-60Hz, 1x max. 60,00 W

kapego



Technische Daten

Charakteristik

Material	Stoff
Farbe	Weiß
Optik	
im Lieferumfang	

Elektrische Daten

Leistung	1x max. 60,00 W
Eingangsspannung	220-240V AC/50-60Hz
Eingangsstrom	
Fassung / Sockel	E27
Anzahl Sockel	1
Netzgerät	
Ansteuerung	dimmbar über optionales Leuchtmittel
Anschlussmöglichkeit	Klemme
Schutzklasse I, II, III	I


© 2014 Deko-Light Elektronik-Vertriebs GmbH
Alle Rechte vorbehalten.
www.deko-light.com
deko@deko-light.com

DEKO-LIGHT
ELEKTRONIK VERTRIEBS GMBH

Artikel Nr.: 341164

Wandaufbauleuchte, Pixi, Weiß, 220-240V AC/50-60Hz, 1x max. 60,00 W

kapego



Lichtrichtung

Dreh- und Schwenkbereich	schwenkbar
Neigungswinkel	180°
Abstrahlverhalten	
Reflektor / Linse	

Abmessungen und Gewicht

Länge	252,5 mm
Breite	200 mm
Höhe	240 mm
Durchmesser	200 mm
Deckenabhängung	
Gewicht	1200 g

Sockelmaß

Länge	
Breite	
Höhe	25 mm
Durchmesser	120 mm

© 2014 Deko-Light Elektronik-Vertriebs GmbH
Alle Rechte vorbehalten.
www.deko-light.com
deko@deko-light.com

DEKO-LIGHT
ELEKTRONIK VERTRIEBS GMBH

Artikel Nr.: 341164

Wandaufbauleuchte, Pixi, Weiß, 220-240V AC/50-60Hz, 1x max. 60,00 W

kapego

Grenzwerte

Betriebstemperatur	-5°C - +40°C
Lagertemperatur	-20°C - +50°C
IP - Schutzart	IP 20

EEI	Die Leuchte ist geeignet für Leuchtmittel der Energieeffizienzklassen A++ bis E
IP 20	Schutz gegen das Eindringen von Fremdkörper > 50 mm. Kein Schutz gegen das Eindringen von Wasser.
⏚	Leuchte der Schutzklasse I bei der der Schutz gegen elektrischen Schlag nicht allein auf der Basisisolierung beruht, sondern die eine zusätzliche Sicherheitsvorkehrung derart enthält, dass berührbare leitfähige Teile mit Mitteln zum Anschluss an den Schutzleiter der festen Installation ausgerüstet sind, so dass im Fehlerfall der Basisisolierung berührbare leitfähige Teile nicht aktiv werden können.

© 2014 Deko-Light Elektronik-Vertriebs GmbH
All rights reserved.
www.deko-light.com
deko@deko-light.com

DEKO-LIGHT
ELEKTRONIK VERTRIEBS GMBH

Article no.: 341164

Surface mounted wall lamp, Pixi, white, 220-240V AC/50-60Hz, 1x max. 60,00 W

kapego



Technical Data

General Characteristics

Material	textile
Colour	white
Optics	
included in delivery	

Electrical Characteristics

Power	1x max. 60,00 W
Input voltage	220-240V AC/50-60Hz
Input current	
Base (standard designation)	E27
Number of bases	1
Power supply unit	
Electronically reversible	dimmable via optional bulb
Connection possibility	clamp
Protection class I, II, III	I


© 2014 Deko-Light Elektronik-Vertriebs GmbH
All rights reserved.
www.deko-light.com
deko@deko-light.com

DEKO-LIGHT
ELEKTRONIK VERTRIEBS GMBH

Article no.: 341164

Surface mounted wall lamp, Pixi, white, 220-240V AC/50-60Hz, 1x max. 60,00 W

kapego



Light Direction

Rotating and tilting range	swivel
Angle of inclination	180°
Radiation direction	
Reflector / lense	

Dimensions & Weight

Length	252,5 mm
Width	200 mm
Height	240 mm
Diameter	200 mm
Suspensions from ceiling	
Product Weight	1200 g

Base dimensions

Length	
Width	
Height	25 mm
Diameter	120 mm

© 2014 Deko-Light Elektronik-Vertriebs GmbH
All rights reserved.
www.deko-light.com
deko@deko-light.com

DEKO-LIGHT
ELEKTRONIK VERTRIEBS GMBH

Article no.: 341164

Surface mounted wall lamp, Pixi, white, 220-240V AC/50-60Hz, 1x max. 60,00 W

kapego

Absolute maximum ratings

Working temperature	-5°C - +40°C
Storage temperature	-20°C - +50°C
IP - Code	IP 20

EEI	The luminaire is suitable for lamps of energy efficiency classes A++ to E.
IP 20	Protection against penetration of foreign objects > 50 mm. No protection against penetration of water.
⏚	Lightings of Protection Class I in which the protection against electric shock is not based solely on isolation, but an additional safety measure contains such a way that accessible conductive parts are equipped with means for connection to the protective conductor of the fixed installation, so that in case of failure of the basic insulation exposed conductive parts cannot be active.

© 2014 Deko-Light Elektronik-Vertriebs GmbH
All rights reserved.
www.deko-light.com
deko@deko-light.com