




LINEAR LIGHT

20
19



LINEAR LIGHT

When it comes to emphasizing or accentuating design elements in architecture or even consciously arousing emotions through the interplay of light and shadow, linear light is moving into the focus. The use of linear light involves the accentuated illumination of columns, ceilings, lines and edges. However, in the context of primary lighting, linear light is also becoming increasingly important.



ALUMINUM PROFILES

- 004 Assembly
- 006 RAL Color Painting
- 012 Aluminum Profiles
- 114 Mounting
- 115 Sample Case



LED STRIPES

- 120 Flexible Stripes 1CH
- 130 Flexible Stripes 3CH
- 134 Flexible Stripes 4CH



CONTROLLER

- 142 RF-Controller
- 146 Switch-Controller
- 147 Wall panel
- 148 DMX Controller

TRANSFORMERS & POWER SUPPLIES

- 150 12 + 24 Volt



TECHNICAL LAMPS

- 154 Ceiling recessed
- 157 Ceiling mounted
- 164 Wall mounted
- 165 Ceiling wall

THE PERFECT SOLUTION FOR EVERY REQUIREMENT

AU-01-05

AU-01-08

AU-01-10

AU-01-12

AU-01-15

AU-02-05

AU-02-08

AU-02-10

AU-02-12

AU-02-15

AU-02-20

MOUNTING PROFILES | BASE PROFILES | U-PROFILES

PAGE 12 - 33

ET-01-05

ET-01-08

ET-01-10

ET-01-12

ET-01-15

ET-02-05

ET-02-08

ET-02-10

ET-02-12

ET-02-15

MOUNTING PROFILES | T-PROFILES

PAGE 34 - 53

AH-01-20

AU-03-12

ET-04-12

AU-10-12

NOTCH-, H-PROFILES

PAGE 54 - 61

EL-01-08

EV-01-08

EV-02-08

EL-03-12

EA-03-12

EV-01-12

EV-02-12

TILE ROFILES

PAGE 62 - 71

EL-02-12

AV-02-10

EV-03-10

ET-03-10

EL03-10

EU-01-36

DRYWALL-PROFILES

PAGE 72 - 83

AL-01-10

AL-02-10

AM-02-10

AV-03-12

AM-01-10

AV-01-10

AV-04-12

EV-04-12

SURFACE MOUNTING PROFILES

PAGE 84 - 99

AU-04-12

ET-05-12

AU-05-15

ET-05-15

EU-01-12

PROFILES FOR THE OUTDOORS

PAGE 100 - 109



ASSEMBLY FOR PROFILES & STRIPES

Upon request, we provide our products individually to measure. Price on request.



SERVICE-PACK I

989100 Cutting Profile tolerance ± 1mm | awing losses 4mm

Options

989900 RAL Painting Coating the profiles in the desired RAL tone



SERVICE-PACK II

989200 Cutting Cover tolerance ± 1mm | awing losses 4mm



SERVICE-PACK III

989300 Cutting Stripe Soldering a connection line
[Dimensions & quantity, strip length & possibility to cut]

Options

- 989301** Connecting cable Attaching a 2nd connecting cable for further connection
- 989302** Connecting line Fixing of a connecting line between 2 stripe pieces, incl. solder points on the left and right. Original length of the stripe may not be exceeded by the individual parts.
- 989350** IP extra charge Process / Seal IP65 / Nano Stripes

Cables

Maximum cable lengths for LED stripe supply lines - Billing takes place according to meters per order

- 12 Volt max. 3 meters to 100 watts of power
- 24 Volt max. 5 meters to 100 watts of power

- 989305** 1 Channel Connecting cable 1 Channel
- 989310** 2 Channel Connecting cable 2 Channel
- 989315** 3 - 4 Channel Connecting cable 3 - 4 Channel
- 989320** 1 - 4 Channel Connecting cable mini cable 1 - 4 Channel



SERVICE-PACK IV

989400 Assembly complete luminaire [requires service pack 1-3]

Complete lamp assembly of profile, LED-Stripe 1 -2 | 3 - 4 channel, 12V | 24V, Cover, end caps, bore in profile or end cap for cable passage.
Please take the cutting dimension of the LED-Stripe segment length plus 3 cm or the junction box into account. Lengthwise tolerance ± 3mm.



Options

Casting We offer different types of casting, the prices for which we have to determine individually. We look forward to your inquiry.



PROPERTIES OF PROFILES AND COVERS

PROFILE

Reprofil offers a variety of products for various requirements. Due to the easy assembly and the small dimensions, flexible LED-Stripes can be easily processed and positioned in a targeted manner. Through constant controls and use of high quality aluminium, we are able to ensure the highest level of quality.

PROFILE names explained



COVERS


The variety of aluminium profiles is supplemented by a wide variety of covers at Reprofil. Depending on the requirements or wishes of the customer, the covers can produce high efficiency lighting or a homogeneous lighting effect. The use of covers ensures the protection of the fitted LED-Stripes.

material: PMMA and PC

95% clear | 75% mat | 40% milky

material: AlMgSi0,5 F25 | PMMA and PC

- aluminum | anodized  mat white 
- mat black | brushed  aluminum | brushed 




95% | clear

75% | mat




Translucency / light passage


95% clear 75% mat 40% milky



40% | milky



								
RAL 1000	RAL 1024	RAL 3001	RAL 4001	RAL 5011	RAL 6007	RAL 6028	RAL 7021	RAL 7046
								
RAL 1001	RAL 1026	RAL 3002	RAL 4002	RAL 5012	RAL 6008	RAL 6029	RAL 7022	RAL 7047
								
RAL 1002	RAL 1027	RAL 3003	RAL 4003	RAL 5013	RAL 6009	RAL 6032	RAL 7023	RAL 8000
								
RAL 1003	RAL 1028	RAL 3004	RAL 4004	RAL 5014	RAL 6010	RAL 6033	RAL 7024	RAL 8001
								
RAL 1004	RAL 1032	RAL 3005	RAL 4005	RAL 5015	RAL 6011	RAL 60034	RAL 7026	RAL 8002
								
RAL 1005	RAL 1033	RAL 3007	RAL 4006	RAL 5017	RAL 6012	RAL 7000	RAL 7030	RAL 8003
								
RAL 1006	RAL 1037	RAL 3009	RAL 4007	RAL 5018	RAL 6013	RAL 7001	RAL 7031	RAL 8004
								
RAL 1007	RAL 2000	RAL 3011	RAL 4008	RAL 5019	RAL 6014	RAL 7002	RAL 7032	RAL 8007
								
RAL 1011	RAL 2001	RAL 3012	RAL 4009	RAL 5020	RAL 6015	RAL 7003	RAL 7033	RAL 8008
								
RAL 1012	RAL 2002	RAL 3013	RAL 4010	RAL 5021	RAL 6016	RAL 7004	RAL 7034	RAL 8011
								
RAL 1013	RAL 2003	RAL 3014	RAL 5000	RAL 5022	RAL 6017	RAL 7005	RAL 7035	RAL 8012
								
RAL 1014	RAL 2004	RAL 3015	RAL 5001	RAL 5023	RAL 6018	RAL 7006	RAL 7036	RAL 8014
								
RAL 1015	RAL 2005	RAL 3016	RAL 5002	RAL 5024	RAL 6019	RAL 7008	RAL 7037	RAL 8015
								
RAL 1016	RAL 2007	RAL 3017	RAL 5003	RAL 6000	RAL 6020	RAL 7009	RAL 7038	RAL 8016
								
RAL 1017	RAL 2008	RAL 3018	RAL 5004	RAL 6001	RAL 6021	RAL 7010	RAL 7039	RAL 8017
								
RAL 1018	RAL 2009	RAL 3020	RAL 5005	RAL 6002	RAL 6022	RAL 7011	RAL 7040	RAL 8019
								
RAL 1019	RAL 2010	RAL 3022	RAL 5007	RAL 6003	RAL 6024	RAL 7012	RAL 7042	RAL 8022
								
RAL 1020	RAL 2011	RAL 3024	RAL 5008	RAL 6004	RAL 6025	RAL 7013	RAL 7043	RAL 8023
								
RAL 1021	RAL 2012	RAL 3027	RAL 5009	RAL 6005	RAL 6026	RAL 7015	RAL 7044	RAL 8024
								
RAL 1023	RAL 3000	RAL 3031	RAL 5010	RAL 6006	RAL 6027	RAL 7016	RAL 7045	RAL 8025



WE MAKE IT
COLORFUL!

PAINT FINISH **ACCORDING TO THE** **RAL COLOR SCHEME**

You would like one of our profiles in your requested color? No problem!
All Reprofil I aluminum profiles are also available individually in your
desired RAL color.

And that's how it works: Simply select your profile and complete it with
the article „RAL painting“ (20030) including your specification of the RAL
value. please note the minimum order quantity of 20 meters..



989900 RAL-painting **on request**
your desired color
minimum order quantity of 20 meters

								
RAL 8028	RAL 9001	RAL 9003	RAL 9002	RAL 9004	RAL 9005	RAL 9006	RAL 9007	RAL 9010
								
RAL 9011	RAL 9016	RAL 9017	RAL 9018					



LINEAR LIGHT

USING LED LIGHT BANDS TO BRING A PERSONAL TOUCH TO YOUR FURNITURE

At home, lighting is not just a matter of function. Naturally, the lighting concept is supposed to illuminate the reading area, the worktop in the kitchen or the dining table pleasantly and evenly - but, above all, lighting is responsible for the right atmosphere and mood. LED technology, which enables simple colour changes at the push of a button, offers completely

new possibilities. So-called linear light in the form of LED s in connection with aluminium profiles is particularly en vogue for domestic lighting concepts. You can put them up on walls, ceilings or furniture according to your own wishes and ideas, and use them to emphasize design elements in architecture or to arouse emotions through the interplay of light and shadow.

Illumination to set atmospheric accents: LED strips, which also commonly allow colour changes, have versatile uses on walls, ceilings or in combination with furniture.



INDIRECT ILLUMINATION WITH MULTIPLE BENEFITS

Ceiling, lines and edges can be accentuated with the easy-to-install LED lighting strips. „In the context of the main lighting, however, linear light is also becoming increasingly important. For instance, modern LED s use special diffusers to produce homogeneous light lines for effective lighting,“ as Klaus-Peter Gommel of the German manufacturer Deko-Light explains.

The light strips are preducted in profiles specially manufactured for this purpose, which thus form the basis for the interplay of light and function. Another important additional benefit: The installation in profiles also serves to effectively and efficiently dissipate the heat of the LEDs.

Let your creativity flow: LED strips can be used creatively throughout your home, for example in the kitchen.



Even when it comes to challenging architecture, LED stripes set colourful and striking accents.

WHITE IS NOT ALWAYS WHITE

LED s are available in a range of versions that produce different colour temperatures. White is therefore not always white. „From bright work lighting to mood and accent lighting, the colour temperature is of crucial importance“, Klaus-Peter Gommel of the manufacturer DEKO-LIGHT comments. „There is a general distinction between warm white, neutral white and

cold white.“ This also influences the typical application areas: Warm white light is well-suited for living rooms and bedroom, neutral white is suitable for bathrooms and kitchens, and cold white workspaces. If you want to stay flexible, you can use LED s with warm and cold white LEDs, which can be individually adjusted with the controller.



Draw clear lines: Coloured LED strips highlights the architecture of your home.

LIGHT CONTROL TO MEET YOUR MOOD

The light strips with energy-saving and durable LED technology are available in different versions: 1-channel s only come with one color, 2-channel s allow you to switch between two colours, and so on. In addition to the actual light strip and profile casing, the do-it-yourselfer needs an additional power supply and a controller, with a dimmer if required for the use and type of LED . At deko-light.com, you will find a wide range of the


versatile light sources. For instance, the tenants can keep creating new moods by changing light colours, the intensity of the lighting, or even dimming it to suit the time of day. While a simple switch is used for switching 1-channel strips on and off, multi-coloured light strips can be controlled with a remote control or even using suitable apps on your smartphone.

Aluminum profiles are innovative and uncompromising products in a timeless design. They are developed with the highest precision. The easy assembly and small dimensions make it easy to process rigid and flexible LED strips.

The aluminum profile are optimal for direct and indirect lighting on wall, ceiling and floor sections. They are used as an installed or structural element in the private and commercial sector.




indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising



PROFILE | AU-01-05 | FLAT

material color	item	Euro
1m aluminum anodized	970080	5,80
2m aluminum anodized	970081	11,60
1m mat black brushed	970082	6,50
2m mat black brushed	970083	13,00
1m mat white	970084	6,50
2m mat white	970085	13,00
1m aluminum brushed	970086	6,50
2m aluminum brushed	970087	13,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

form	length	transmission	item	Euro
flat	1m	40% milky	983554	4,00
flat	2m	40% milky	983555	8,00
flat	3m	40% milky	983556	12,00

form	length	transmission	item	Euro
flat	1m	95% clear	983550	4,00
flat	2m	95% clear	983551	8,00

form	length	transmission	item	Euro
high	1m	40% milky	984054	5,80
high	2m	40% milky	984055	11,60

form	length	transmission	item	Euro
roand	1m	40% milky	984554	5,80
roand	2m	40% milky	984555	11,60



END CAPS | set, 2 pieces

form	color	item	Euro
flat	grey	978661	3,60
flat	black	978662	3,60
flat	white	978660	3,60

form	color	item	Euro
high	grey	979161	3,60
high	black	979162	3,60
high	white	979160	3,60



form	color	item	Euro
roand	grey	979661	3,60
roand	black	979662	3,60
roand	white	979660	3,60

MOUNTING



accessories	item	Euro
double-sided tape W x L: 8 mm x 33 m	930346	14,00

indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising



PROFILE | AU-01-08 | FLAT

material color		item	Euro
1m aluminum anodized		970000	9,00
2m aluminum anodized		970001	18,00
3m aluminum anodized		970008	27,00
1m mat black brushed		970002	10,00
2m mat black brushed		970003	20,00
1m mat white		970004	10,00
2m mat white		970005	20,00
1m aluminum brushed		970006	10,00
2m aluminum brushed		970007	20,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)



P-01-08

form	length	transmission	item	Euro
plan	1m	40% milky	983004	5,80
plan	2m	40% milky	983005	11,60
plan	3m	40% milky	983008	17,40

form	length	transmission	item	Euro
plan	1m	75% mat	983002	5,80
plan	2m	75% mat	983003	11,60
plan	3m	75% mat	983007	17,40

form	length	transmission	item	Euro
plan	1m	95% clear	983000	5,80
plan	2m	95% clear	983001	11,60
plan	3m	95% clear	983006	17,40



F-01-08

form	length	transmission	item	Euro
flat	1m	40% milky	983504	5,80
flat	2m	40% milky	983505	11,60
flat	3m	40% milky	983506	17,40

form	length	transmission	item	Euro
flat	1m	75% mat	983502	5,80
flat	2m	75% mat	983503	11,60

form	length	transmission	item	Euro
flat	1m	95% clear	983500	5,80
flat	2m	95% clear	983501	11,60



H-01-08

form	length	transmission	item	Euro
high	1m	40% milky	984004	7,20
high	2m	40% milky	984005	14,40

form	length	transmission	item	Euro
high	1m	75% mat	984002	7,20
high	2m	75% mat	984003	14,40



P-02-08 | material: PC (Polycarbonat)

form	length	transmission	item	Euro
plan	2m	40% milky	983085	11,60
plan	3m	40% milky	983086	17,40



R-01-08

form	length	transmission	item	Euro
roand	1m	40% milky	984504	7,20
roand	2m	40% milky	984505	14,40

form	length	transmission	item	Euro
roand	1m	75% mat	984502	7,20
roand	2m	75% mat	984503	14,40



END CAPS | set, 2 pieces



form	color	item	Euro
plan	grey	978001	3,60
plan	black	978002	3,60
plan	white	978000	3,60

form	color	item	Euro
flat	grey	978501	3,60
flat	black	978502	3,60
flat	white	978500	3,60

form	color	item	Euro
high	grey	979081	3,60
high	black	979082	3,60
high	white	979080	3,60

form	color	item	Euro
roand	grey	979581	3,60
roand	black	979582	3,60
roand	white	979580	3,60

MOUNTING




accessories	item	Euro
double-sided tape W x L: 12 mm x 33 m	930347	15,00

accessories	item	Euro
fixation clamp - 08 set, 2 pieces	987002	3,00

accessories	item	Euro
universal mounting clip (swiveling) set, 2 pieces	987080	20,00


indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising



PROFILE | AU-01-10 | FLAT

material color	item	Euro
1m aluminum anodized	970020	9,00
2m aluminum anodized	970021	18,00
3m aluminum anodized	970028	27,00
4m aluminum anodized	970029	36,00
1m mat black brushed	970022	10,00
2m mat black brushed	970023	20,00
1m mat white	970024	10,00
2m mat white	970025	20,00
1m aluminum brushed	970026	10,00
2m aluminum brushed	970027	20,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

P-01-10

form	length	transmission	item	Euro
plan	1m	40% milky	983014	5,80
plan	2m	40% milky	983015	11,60
plan	3m	40% milky	983018	17,40
plan	4m	40% milky	983062	23,20

form	length	transmission	item	Euro
plan	1m	75% mat	983012	5,80
plan	2m	75% mat	983013	11,60
plan	3m	75% mat	983017	17,40
plan	4m	75% mat	983061	23,20

form	length	transmission	item	Euro
plan	1m	95% clear	983010	5,80
plan	2m	95% clear	983011	11,60
plan	3m	95% clear	983016	17,40
plan	4m	95% clear	983060	23,20

F-01-10

form	length	transmission	item	Euro
flat	1m	40% milky	983514	5,80
flat	2m	40% milky	983515	11,60
flat	3m	40% milky	983518	17,40
flat	4m	40% milky	983562	23,20

form	length	transmission	item	Euro
flat	1m	75% mat	983512	5,80
flat	2m	75% mat	983513	11,60
flat	3m	75% mat	983517	17,40
flat	4m	75% mat	983561	23,20

form	length	transmission	item	Euro
flat	1m	95% clear	983510	5,80
flat	2m	95% clear	983511	11,60
flat	3m	95% clear	983516	17,40
flat	4m	95% clear	983560	23,20

H-01-10

form	length	transmission	item	Euro
high	1m	40% milky	984014	7,20
high	2m	40% milky	984015	14,40
high	3m	40% milky	984018	21,60
high	4m	40% milky	984011	28,80

form	length	transmission	item	Euro
high	1m	75% mat	984012	7,20
high	2m	75% mat	984013	14,40
high	3m	75% mat	984017	21,60
high	4m	75% mat	984010	28,80

P-03-10 | material: PC (Polycarbonat)

form	length	transmission	item	Euro
plan	2m	40% milky	983083	11,60
plan	3m	40% milky	983084	17,40

R-01-10

form	length	transmission	item	Euro
roand	1m	40% milky	984514	7,20
roand	2m	40% milky	984515	14,40
roand	3m	40% milky	984518	21,60
roand	4m	40% milky	984511	28,80

form	length	transmission	item	Euro
roand	1m	75% mat	984512	7,20
roand	2m	75% mat	984513	14,40
roand	3m	75% mat	984517	21,60
roand	4m	75% mat	984510	28,80

L-01-10

form	length	transmission	item	Euro
Lens	1m	95% clear	985010	8,50
Lens	2m	95% clear	985011	17,00
Lens	3m	95% clear	985016	25,50



END CAPS | set, 2 pieces


form	color	item	Euro	form	color	item	Euro	form	color	item	Euro	form	color	item	Euro
plan	grey	978011	3,60	flat	grey	978511	3,60	high	grey	979001	3,60	roand	grey	979501	3,60
plan	black	978012	3,60	flat	black	978512	3,60	high	black	979002	3,60	roand	black	979502	3,60
plan	white	978010	3,60	flat	white	978510	3,60	high	white	979000	3,60	roand	white	979500	3,60

form	color	item	Euro
Lens	grey	980001	3,60
Lens	black	980002	3,60
Lens	white	980000	3,60

MOUNTING

accessories	item	Euro	accessories	item	Euro	accessories	item	Euro
double-sided tape with foam carrier for profiles W x L: 15 mm x 33 m	930348	19,00	fixation clamp - 10 set, 2 pieces	987004	3,00	universal mounting clip (swiveling) set, 2 pieces	987080	20,00

indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising




PROFILE | AU-01-12 | FLAT

material color	item	Euro
1m aluminum anodized	 970040	10,50
2m aluminum anodized	 970041	21,00
3m aluminum anodized	 970048	31,50
1m mat black brushed	 970042	12,00
2m mat black brushed	 970043	24,00
1m mat white	 970044	12,00
2m mat white	 970045	24,00

1m aluminum brushed	 970046	12,00
2m aluminum brushed	 970047	24,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

form	length	transmission	item	Euro	form	length	transmission	item	Euro	form	length	transmission	item	Euro
 plan	1m	40% milky	983024	5,80	 plan	1m	75% mat	983022	5,80	 plan	1m	95% clear	983020	5,80
 plan	2m	40% milky	983025	11,60	 plan	2m	75% mat	983023	11,60	 plan	2m	95% clear	983021	11,60
 plan	3m	40% milky	983026	17,40	 plan	3m	75% mat	983027	17,40	 plan	3m	95% clear	983028	17,40

form	length	transmission	item	Euro	form	length	transmission	item	Euro	form	length	transmission	item	Euro
 flat	1m	40% milky	983524	5,80	 flat	1m	75% mat	983522	5,80	 flat	1m	95% clear	983520	5,80
 flat	2m	40% milky	983525	11,60	 flat	2m	75% mat	983523	11,60	 flat	2m	95% clear	983521	11,60
 flat	3m	40% milky	983526	17,40						 flat	3m	95% clear	983527	17,40

form	length	transmission	item	Euro	form	length	transmission	item	Euro
 high	1m	40% milky	984024	7,20	 high	1m	75% mat	984022	7,20
 high	2m	40% milky	984025	14,40	 high	2m	75% mat	984023	14,40
 high	3m	40% milky	984026	21,60					

form	length	transmission	item	Euro	form	length	transmission	item	Euro
 roand	1m	40% milky	984524	7,20	 roand	1m	75% mat	984522	7,20
 roand	2m	40% milky	984525	14,40	 roand	2m	75% mat	984523	14,40
 roand	3m	40% milky	984526	21,60					



END CAPS | set, 2 pieces


form	color	item	Euro	form	color	item	Euro	form	color	item	Euro	form	color	item	Euro
 plan	grey	978021	3,60	 flat	grey	978521	3,60	 high	grey	979011	3,60	 roand	grey	979511	3,60
 plan	black	978022	3,60	 flat	black	978522	3,60	 high	black	979012	3,60	 roand	black	979512	3,60
 plan	white	978020	3,60	 flat	white	978520	3,60	 high	white	979010	3,60	 roand	white	979510	3,60

MOUNTING



accessories	item	Euro	accessories	item	Euro	accessories	item	Euro
double-sided tape W x L: 15 mm x 33 m	930348	19,00	fixation clamp - 12 set, 2 pieces	987006	3,00	universal mounting clip (swiveling) set, 2 pieces	987080	20,00

indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising



PROFILE | AU-01-15 | FLAT

material color	item	Euro
1m aluminum anodized	970060	10,50
2m aluminum anodized	970061	21,00
3m aluminum anodized	970068	31,50
1m mat black brushed	970062	12,00
2m mat black brushed	970063	24,00
1m mat white	970064	12,00
2m mat white	970065	24,00
1m aluminum brushed	970066	12,00
2m aluminum brushed	970067	24,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

P-01-15

form	length	transmission	item	Euro
plan	1m	40% milky	983034	5,80
plan	2m	40% milky	983035	11,60
plan	3m	40% milky	983036	17,40

form	length	transmission	item	Euro
plan	1m	75% mat	983032	5,80
plan	2m	75% mat	983033	11,60
plan	3m	75% mat	983037	17,40

form	length	transmission	item	Euro
plan	1m	95% clear	983030	5,80
plan	2m	95% clear	983031	11,60
plan	3m	95% clear	983038	17,40

F-01-15

form	length	transmission	item	Euro
flat	1m	40% milky	983534	5,80
flat	2m	40% milky	983535	11,60
flat	3m	40% milky	983536	17,40

form	length	transmission	item	Euro
flat	1m	75% mat	983532	5,80
flat	2m	75% mat	983533	11,60
flat	2m	75% mat	983539	17,40

form	length	transmission	item	Euro
flat	1m	95% clear	983530	5,80
flat	2m	95% clear	983531	11,60

H-01-15

form	length	transmission	item	Euro
high	1m	40% milky	984034	8,50
high	2m	40% milky	984035	17,00
high	3m	40% milky	984036	25,50

form	length	transmission	item	Euro
high	1m	75% mat	984032	8,50
high	2m	75% mat	984033	17,00

R-01-15

form	length	transmission	item	Euro
roand	1m	40% milky	984534	8,50
roand	2m	40% milky	984535	17,00

form	length	transmission	item	Euro
roand	1m	75% mat	984532	8,50
roand	2m	75% mat	984533	17,00



END CAPS | set, 2 pieces

form	color	item	Euro	form	color	item	Euro	form	color	item	Euro	form	color	item	Euro
plan	grey	978031	3,60	flat	grey	978531	3,60	high	grey	979091	3,60	roand	grey	979591	3,60
plan	black	978032	3,60	flat	black	978532	3,60	high	black	979092	3,60	roand	black	979592	3,60
plan	white	978030	3,60	flat	white	978530	3,60	high	white	979090	3,60	roand	white	979590	3,60

MOUNTING




accessories	item	Euro
double-sided tape W x L: 20 mm x 33 m	930349	25,00

accessories	item	Euro
fixation clamp - 15 set, 2 pieces	987008	3,00

accessories	item	Euro
universal mounting clip (swiveling) set, 2 pieces	987080	20,00


indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising



PROFILE | AU-02-05 | HIGH

material color	item	Euro
1m aluminum anodized	970180	6,80
2m aluminum anodized	970181	13,60
1m mat black brushed	970182	7,50
2m mat black brushed	970183	15,00
1m mat white	970184	7,50
2m mat white	970185	15,00
1m aluminum brushed	970186	7,50
2m aluminum brushed	970187	15,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

 F-01-05

form	length	transmission	item	Euro
flat	1m	40% milky	983554	4,00
flat	2m	40% milky	983555	8,00
flat	3m	40% milky	983556	12,00

form	length	transmission	item	Euro
flat	1m	95% clear	983550	4,00
flat	2m	95% clear	983551	8,00

 H-01-05

form	length	transmission	item	Euro
high	1m	40% milky	984054	5,80
high	2m	40% milky	984055	11,60

 R-01-05

form	length	transmission	item	Euro
roand	1m	40% milky	984554	5,80
roand	2m	40% milky	984555	11,60



With the kind support of SH-Lichttechnik / Becks Reutlingen

END CAPS | set, 2 pieces


form	color	item	Euro	form	color	item	Euro	form	color	item	Euro
flat	grey	978671	3,60	high	grey	979171	3,60	roand	grey	979671	3,60
flat	black	978672	3,60	high	black	979172	3,60	roand	black	979672	3,60
flat	white	978670	3,60	high	white	979170	3,60	roand	white	979670	3,60

MOUNTING



accessories	item	Euro
double-sided tape W x L: 8 mm x 33 m	930346	14,00


indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising



PROFILE | AU-02-08 | HIGH

material color	item	Euro
1m aluminum anodized	970100	10,50
2m aluminum anodized	970001	21,00
3m aluminum anodized	970108	31,50
1m mat black brushed	970102	11,50
2m mat black brushed	970103	23,00
1m mat white	970104	11,50
2m mat white	970105	23,00
1m aluminum brushed	970106	11,50
2m aluminum brushed	970107	23,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)



P-01-08

form	length	transmission	item	Euro
plan	1m	40% milky	983004	5,80
plan	2m	40% milky	983005	11,60
plan	3m	40% milky	983008	17,40

form	length	transmission	item	Euro
plan	1m	75% mat	983002	5,80
plan	2m	75% mat	983003	11,60
plan	3m	75% mat	983007	17,40

form	length	transmission	item	Euro
plan	1m	95% clear	983000	5,80
plan	2m	95% clear	983001	11,60
plan	3m	95% clear	983006	17,40



F-01-08

form	length	transmission	item	Euro
flat	1m	40% milky	983504	5,80
flat	2m	40% milky	983505	11,60
flat	3m	40% milky	983506	17,40

form	length	transmission	item	Euro
flat	1m	75% mat	983502	5,80
flat	2m	75% mat	983503	11,60

form	length	transmission	item	Euro
flat	1m	95% clear	983500	5,80
flat	2m	95% clear	983501	11,60



H-01-08

form	length	transmission	item	Euro
high	1m	40% milky	984004	7,20
high	2m	40% milky	984005	14,40

form	length	transmission	item	Euro
high	1m	75% mat	984002	7,20
high	2m	75% mat	984003	14,40



P-02-08 | material: PC (Polycarbonat)

form	length	transmission	item	Euro
plan	2m	40% milky	983085	11,60
plan	3m	40% milky	983086	17,40



R-01-08

form	length	transmission	item	Euro
roand	1m	40% milky	984504	7,20
roand	2m	40% milky	984505	14,40

form	length	transmission	item	Euro
roand	1m	75% mat	984502	7,20
roand	2m	75% mat	984503	14,40



END CAPS | set, 2 pieces



form	color	item	Euro
plan	grey	978041	3,60
plan	black	978042	3,60
plan	white	978040	3,60

form	color	item	Euro
flat	grey	978541	3,60
flat	black	978542	3,60
flat	white	978540	3,60

form	color	item	Euro
high	grey	979101	3,60
high	black	979102	3,60
high	white	979100	3,60

form	color	item	Euro
roand	grey	979601	3,60
roand	black	979602	3,60
roand	white	979600	3,60

MOUNTING




accessories	item	Euro
double-sided tape W x L: 12 mm x 33 m	930347	15,00

accessories	item	Euro
fixation clamp - 08 set, 2 pieces	987002	3,00

accessories	item	Euro
universal mounting clip (swiveling) set, 2 pieces	987080	20,00

indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising



PROFILE | AU-02-10 | HIGH

material color	item	Euro
1m aluminum anodized	970120	10,50
2m aluminum anodized	970121	21,00
3m aluminum anodized	970128	31,50
4m aluminum anodized	970129	42,00
1m mat black brushed	970122	11,50
2m mat black brushed	970123	23,00
1m mat white	970124	11,50
2m mat white	970125	23,00
1m aluminum brushed	970126	11,50
2m aluminum brushed	970127	23,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

form	length	transmission	item	Euro
plan	1m	40% milky	983014	5,80
plan	2m	40% milky	983015	11,60
plan	3m	40% milky	983018	17,40
plan	4m	40% milky	983062	23,20

form	length	transmission	item	Euro
plan	1m	75% mat	983012	5,80
plan	2m	75% mat	983013	11,60
plan	3m	75% mat	983017	17,40
plan	4m	75% mat	983061	23,20

form	length	transmission	item	Euro
plan	1m	95% clear	983010	5,80
plan	2m	95% clear	983011	11,60
plan	3m	95% clear	983016	17,40
plan	4m	95% clear	983060	23,20

form	length	transmission	item	Euro
flat	1m	40% milky	983514	5,80
flat	2m	40% milky	983515	11,60
flat	3m	40% milky	983518	17,40
flat	4m	40% milky	983562	23,20

form	length	transmission	item	Euro
flat	1m	75% mat	983512	5,80
flat	2m	75% mat	983513	11,60
flat	3m	75% mat	983517	17,40
flat	4m	75% mat	983561	23,20

form	length	transmission	item	Euro
flat	1m	95% clear	983510	5,80
flat	2m	95% clear	983511	11,60
flat	3m	95% clear	983516	17,40
flat	4m	95% clear	983560	23,20

form	length	transmission	item	Euro
high	1m	40% milky	984014	7,20
high	2m	40% milky	984015	14,40
high	3m	40% milky	984018	21,60
high	4m	40% milky	984011	28,80

form	length	transmission	item	Euro
high	1m	75% mat	984012	7,20
high	2m	75% mat	984013	14,40
high	3m	75% mat	984017	21,60
high	4m	75% mat	984010	28,80

form	length	transmission	item	Euro
roand	1m	40% milky	984514	7,20
roand	2m	40% milky	984515	14,40
roand	3m	40% milky	984518	21,60
roand	4m	40% milky	984511	28,80

form	length	transmission	item	Euro
roand	1m	75% mat	984512	7,20
roand	2m	75% mat	984513	14,40
roand	3m	75% mat	984517	21,60
roand	4m	75% mat	984510	28,80

form	length	transmission	item	Euro
plan	2m	40% milky	983083	11,60
plan	3m	40% milky	983084	17,40

form	length	transmission	item	Euro
Lens	1m	95% clear	985010	8,50
Lens	2m	95% clear	985011	17,00
Lens	3m	95% clear	985016	25,50



END CAPS | set, 2 pieces

form	color	item	Euro
plan	grey	978051	3,60
plan	black	978052	3,60
plan	white	978050	3,60

form	color	item	Euro
flat	grey	978551	3,60
flat	black	978552	3,60
flat	white	978550	3,60

form	color	item	Euro
high	grey	979021	3,60
high	black	979022	3,60
high	white	979020	3,60


form	color	item	Euro
roand	grey	979521	3,60
roand	black	979522	3,60
roand	white	979520	3,60

form	color	item	Euro
Lens	grey	980011	3,60
Lens	black	980012	3,60
Lens	white	980010	3,60

MOUNTING

accessories	item	Euro	accessories	item	Euro	accessories	item	Euro
double-sided tape with foam carrier for profiles W x L: 15 mm x 33 m	930348	19,00	fixation clamp - 10 set, 2 pieces	987004	3,00	universal mounting clip (swiveling) set, 2 pieces	987080	20,00

indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising



PROFILE | AU-02-12 | HIGH

material color	item	Euro
1m aluminum anodized	970140	11,50
2m aluminum anodized	970141	23,00
3m aluminum anodized	970148	34,50
1m mat black brushed	970142	13,00
2m mat black brushed	970143	26,00
1m mat white	970144	13,00
2m mat white	970145	26,00
1m aluminum brushed	970146	13,00
2m aluminum brushed	970147	26,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

form	length	transmission	item	Euro	form	length	transmission	item	Euro	form	length	transmission	item	Euro
plan	1m	40% milky	983024	5,80	plan	1m	75% mat	983022	5,80	plan	1m	95% clear	983020	5,80
plan	2m	40% milky	983025	11,60	plan	2m	75% mat	983023	11,60	plan	2m	95% clear	983021	11,60
plan	3m	40% milky	983026	17,40	plan	3m	75% mat	983027	17,40	plan	3m	95% clear	983028	17,40

form	length	transmission	item	Euro	form	length	transmission	item	Euro	form	length	transmission	item	Euro
flat	1m	40% milky	983524	5,80	flat	1m	75% mat	983522	5,80	flat	1m	95% clear	983520	5,80
flat	2m	40% milky	983525	11,60	flat	2m	75% mat	983523	11,60	flat	2m	95% clear	983521	11,60
flat	3m	40% milky	983526	17,40						flat	3m	95% clear	983527	17,40

form	length	transmission	item	Euro	form	length	transmission	item	Euro
high	1m	40% milky	984024	7,20	high	1m	75% mat	984022	7,20
high	2m	40% milky	984025	14,40	high	2m	75% mat	984023	14,40
high	3m	40% milky	984026	21,60					

form	length	transmission	item	Euro	form	length	transmission	item	Euro
roand	1m	40% milky	984524	7,20	roand	1m	75% mat	984522	7,20
roand	2m	40% milky	984525	14,40	roand	2m	75% mat	984523	14,40
roand	3m	40% milky	984526	21,60					



With the kind support ofSH-Lichttechnik / Becks Reutlingen

END CAPS | set, 2 pieces


form	color	item	Euro	form	color	item	Euro	form	color	item	Euro	form	color	item	Euro
plan	grey	978061	3,60	flat	grey	978561	3,60	high	grey	979031	3,60	roand	grey	979531	3,60
plan	black	978062	3,60	flat	black	978562	3,60	high	black	979032	3,60	roand	black	979532	3,60
plan	white	978060	3,60	flat	white	978560	3,60	high	white	979030	3,60	roand	white	979530	3,60

MOUNTING



accessories	item	Euro	accessories	item	Euro	accessories	item	Euro
double-sided tape BW x L: 15 mm x 33 m	930348	19,00	fixation clamp - 12 set, 2 pieces	987006	3,00	universal mounting clip (swiveling) set, 2 pieces	987080	20,00


indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising



PROFILE | AU-02-15 | HIGH

material color	item	Euro
1m aluminum anodized	970160	11,50
2m aluminum anodized	970161	23,00
3m aluminum anodized	970168	34,50
1m mat black brushed	970162	13,00
2m mat black brushed	970163	26,00
1m mat white	970164	13,00
2m mat white	970165	26,00
1m aluminum brushed	970166	13,00
2m aluminum brushed	970167	26,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

P-01-15

form	length	transmission	item	Euro
plan	1m	40% milky	983034	5,80
plan	2m	40% milky	983035	11,60
plan	3m	40% milky	983036	17,40

form	length	transmission	item	Euro
plan	1m	75% mat	983032	5,80
plan	2m	75% mat	983033	11,60
plan	3m	75% mat	983037	17,40

form	length	transmission	item	Euro
plan	1m	95% clear	983030	5,80
plan	2m	95% clear	983031	11,60
plan	3m	95% clear	983038	17,40

F-01-15

form	length	transmission	item	Euro
flat	1m	40% milky	983534	5,80
flat	2m	40% milky	983535	11,60
flat	3m	40% milky	983536	17,40

form	length	transmission	item	Euro
flat	1m	75% mat	983532	5,80
flat	2m	75% mat	983533	11,60
flat	2m	75% mat	983539	17,40

form	length	transmission	item	Euro
flat	1m	95% clear	983530	5,80
flat	2m	95% clear	983531	11,60

H-01-15

form	length	transmission	item	Euro
high	1m	40% milky	984034	8,50
high	2m	40% milky	984035	17,00
high	3m	40% milky	984036	25,50

form	length	transmission	item	Euro
high	1m	75% mat	984032	8,50
high	2m	75% mat	984033	17,00

R-01-15

form	length	transmission	item	Euro
roand	1m	40% milky	984534	8,50
roand	2m	40% milky	984535	17,00

form	length	transmission	item	Euro
roand	1m	75% mat	984532	8,50
roand	2m	75% mat	984533	17,00



END CAPS | set, 2 pieces


form	color	item	Euro	form	color	item	Euro	form	color	item	Euro	form	color	item	Euro
plan	grey	978071	3,60	flat	grey	978571	3,60	high	grey	979111	3,60	roand	grey	979611	3,60
plan	black	978072	3,60	flat	black	978572	3,60	high	black	979112	3,60	roand	black	979612	3,60
plan	white	978070	3,60	flat	white	978570	3,60	high	white	979110	3,60	roand	white	979610	3,60

MOUNTING



accessories	item	Euro	accessories	item	Euro	accessories	item	Euro
double-sided tape W x L: 20 mm x 33 m	930349	25,00	fixation clamp - 15 set, 2 pieces	987008	3,00	universal mounting clip (swiveling) set, 2 pieces	987080	20,00


indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising



PROFILE | AU-02-20 | HIGH

material color	item	Euro
1m aluminum anodized	970200	15,50
2m aluminum anodized	970201	31,00
3m aluminum anodized	970202	46,50

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)



P-01-20

form	length	transmission	item	Euro
plan	1m	40% milky	983044	7,20
plan	2m	40% milky	983045	14,40
plan	3m	40% milky	983046	24,60

form	length	transmission	item	Euro
plan	1m	95% clear	983040	7,20
plan	2m	95% clear	983041	14,40



H-01-20

form	length	transmission	item	Euro
high	1m	40% milky	984044	8,50
high	2m	40% milky	984045	17,00



R-01-20

form	length	transmission	item	Euro
roand	1m	40% milky	984544	8,50
roand	2m	40% milky	984545	17,00



END CAPS | set, 2 pieces



form	color	item	Euro
plan	grey	978161	3,60

form	color	item	Euro
high	grey	978351	3,60

form	color	item	Euro
roand	grey	978361	3,60

MOUNTING




accessories	item	Euro
double-sided tape with foam carrier for profiles W x L: 15 mm x 33 m	930350	31,00

accessories	item	Euro
fixation clamp - 20 set, 2 pieces	987010	3,00

accessories	item	Euro
universal mounting clip (swiveling) set, 2 pieces	987080	20,00


indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising



PROFILE | ET-01-05 | FLAT

material color	item	Euro
1m aluminum anodized	975080	6,00
2m aluminum anodized	975081	12,00
1m mat black brushed	975082	7,00
2m mat black brushed	975083	14,00
1m mat white	975084	7,00
2m mat white	975085	14,00
1m aluminum brushed	975086	7,00
2m aluminum brushed	975087	14,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

form	length	transmission	item	Euro
flat	1m	40% milky	983554	4,00
flat	2m	40% milky	983555	8,00
flat	3m	40% milky	983556	12,00

form	length	transmission	item	Euro
flat	1m	95% clear	983550	4,00
flat	2m	95% clear	983551	8,00

form	length	transmission	item	Euro
high	1m	40% milky	984054	5,80
high	2m	40% milky	984055	11,60

form	length	transmission	item	Euro
roand	1m	40% milky	984554	5,80
roand	2m	40% milky	984555	11,60



With the kind support of SH-Lichttechnik / Becks Reutlingen

END CAPS | set, 2 pieces

form	color	item	Euro
flat	grey	978681	3,60
flat	black	978682	3,60
flat	white	978680	3,60

form	color	item	Euro
high	grey	979181	3,60
high	black	979182	3,60
high	white	979180	3,60


form	color	item	Euro
roand	grey	979681	3,60
roand	black	979682	3,60
roand	white	979680	3,60

MOUNTING



accessories	item	Euro
double-sided tape W x L: 8 mm x 33 m	930346	14,00


indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising



PROFILE | ET-01-08 | FLAT

material color	item	Euro
1m aluminum anodized	 975000	10,00
2m aluminum anodized	 975001	20,00
3m aluminum anodized	 975008	30,00
1m mat black brushed	 975002	12,00
2m mat black brushed	 975003	24,00
1m mat white	 975004	12,00
2m mat white	 975005	24,00
1m aluminum brushed	 975006	12,00
2m aluminum brushed	 975007	24,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

form	length	transmission	item	Euro	form	length	transmission	item	Euro	form	length	transmission	item	Euro
plan	1m	40% milky	983004	5,80	plan	1m	75% mat	983002	5,80	plan	1m	95% clear	983000	5,80
plan	2m	40% milky	983005	11,60	plan	2m	75% mat	983003	11,60	plan	2m	95% clear	983001	11,60
plan	3m	40% milky	983008	17,40	plan	3m	75% mat	983007	17,40	plan	3m	95% clear	983006	17,40

form	length	transmission	item	Euro	form	length	transmission	item	Euro	form	length	transmission	item	Euro
flat	1m	40% milky	983504	5,80	flat	1m	75% mat	983502	5,80	flat	1m	95% clear	983500	5,80
flat	2m	40% milky	983505	11,60	flat	2m	75% mat	983503	11,60	flat	2m	95% clear	983501	11,60
flat	3m	40% milky	983506	17,40										

form	length	transmission	item	Euro	form	length	transmission	item	Euro	form	length	transmission	item	Euro
high	1m	40% milky	984004	7,20	high	1m	75% mat	984002	7,20	plan	2m	40% milky	983085	11,60
high	2m	40% milky	984005	14,40	high	2m	75% mat	984003	14,40	plan	3m	40% milky	983086	17,40

form	length	transmission	item	Euro	form	length	transmission	item	Euro
roand	1m	40% milky	984504	7,20	roand	1m	75% mat	984502	7,20
roand	2m	40% milky	984505	14,40	roand	2m	75% mat	984503	14,40




END CAPS | set, 2 pieces

form	color	item	Euro	form	color	item	Euro	form	color	item	Euro	form	color	item	Euro
plan	grey	978081	3,60	flat	grey	978581	3,60	high	grey	979121	3,60	roand	grey	979621	3,60
plan	black	978082	3,60	flat	black	978582	3,60	high	black	979122	3,60	roand	black	979622	3,60
plan	white	978080	3,60	flat	white	978580	3,60	high	white	979120	3,60	roand	white	979620	3,60

MOUNTING

accessories	item	Euro	accessories	item	Euro	accessories	item	Euro
double-sided tape W x L: 12 mm x 33 m	930347	15,00	fixation clamp - 08 set, 2 pieces	987002	3,00	universal mounting clip (swiveling) set, 2 pieces	987080	20,00


indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising



PROFILE | ET-01-10 | FLAT

material color	item	Euro
1m aluminum anodized	975020	10,00
2m aluminum anodized	975021	20,00
3m aluminum anodized	975028	30,00
4m aluminum anodized	975029	40,00
1m mat black brushed	975022	12,00
2m mat black brushed	975023	24,00
1m mat white	975024	12,00
2m mat white	970525	24,00
1m aluminum brushed	975026	12,00
2m aluminum brushed	975027	24,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

form	length	transmission	item	Euro	form	length	transmission	item	Euro	form	length	transmission	item	Euro
plan	1m	40% milky	983014	5,80	plan	1m	75% mat	983012	5,80	plan	1m	95% clear	983010	5,80
plan	2m	40% milky	983015	11,60	plan	2m	75% mat	983013	11,60	plan	2m	95% clear	983011	11,60
plan	3m	40% milky	983018	17,40	plan	3m	75% mat	983017	17,40	plan	3m	95% clear	983016	17,40
plan	4m	40% milky	983062	23,20	plan	4m	75% mat	983061	23,20	plan	4m	95% clear	983060	23,20

form	length	transmission	item	Euro	form	length	transmission	item	Euro	form	length	transmission	item	Euro
flat	1m	40% milky	983514	5,80	flat	1m	75% mat	983512	5,80	flat	1m	95% clear	983510	5,80
flat	2m	40% milky	983515	11,60	flat	2m	75% mat	983513	11,60	flat	2m	95% clear	983511	11,60
flat	3m	40% milky	983518	17,40	flat	3m	75% mat	983517	17,40	flat	3m	95% clear	983516	17,40
flat	4m	40% milky	983562	23,20	flat	4m	75% mat	983561	23,20	flat	4m	95% clear	983560	23,20

form	length	transmission	item	Euro	form	length	transmission	item	Euro	form	length	transmission	item	Euro
high	1m	40% milky	984014	7,20	high	1m	75% mat	984012	7,20	plan	2m	40% milky	983083	11,60
high	2m	40% milky	984015	14,40	high	2m	75% mat	984013	14,40	plan	3m	40% milky	983084	17,40
high	3m	40% milky	984018	21,60	high	3m	75% mat	984017	21,60					
high	4m	40% milky	984011	28,80	high	4m	75% mat	984010	28,80					

form	length	transmission	item	Euro	form	length	transmission	item	Euro	form	length	transmission	item	Euro
roand	1m	40% milky	984514	7,20	roand	1m	75% mat	984512	7,20	Lens	1m	95% clear	985010	8,50
roand	2m	40% milky	984515	14,40	roand	2m	75% mat	984513	14,40	Lens	2m	95% clear	985011	17,00
roand	3m	40% milky	984518	21,60	roand	3m	75% mat	984517	21,60	Lens	3m	95% clear	985016	25,50
roand	4m	40% milky	984511	28,80	roand	4m	75% mat	984510	28,80					



END CAPS | set, 2 pieces


form	color	item	Euro	form	color	item	Euro	form	color	item	Euro	form	color	item	Euro
plan	grey	978091	3,60	flat	grey	978591	3,60	high	grey	979041	3,60	roand	grey	979541	3,60
plan	black	978092	3,60	flat	black	978592	3,60	high	black	979042	3,60	roand	black	979542	3,60
plan	white	978090	3,60	flat	white	978590	3,60	high	white	979040	3,60	roand	white	979540	3,60

form	color	item	Euro
Lens	grey	980041	3,60
Lens	black	980042	3,60
Lens	white	980040	3,60

MOUNTING

accessories	item	Euro	accessories	item	Euro	accessories	item	Euro
double-sided tape with foam carrier for profiles W x L: 15 mm x 33 m	930348	19,00	fixation clamp - 10 set, 2 pieces	987004	3,00	universal mounting clip (swiveling) set, 2 pieces	987080	20,00

indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising



PROFILE | ET-01-12 | FLAT

material color	item	Euro
1m aluminum anodized	 975040	12,00
2m aluminum anodized	 975041	24,00
3m aluminum anodized	 975048	36,00
1m mat black brushed	 975042	14,00
2m mat black brushed	 975043	28,00
1m mat white	 975044	14,00
2m mat white	 975045	28,00
1m aluminum brushed	 975046	14,00
2m aluminum brushed	 975047	28,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

 P-01-12

form	length	transmission	item	Euro
plan	1m	40% milky	983024	5,80
plan	2m	40% milky	983025	11,60
plan	3m	40% milky	983026	17,40

form	length	transmission	item	Euro
plan	1m	75% mat	983022	5,80
plan	2m	75% mat	983023	11,60
plan	3m	75% mat	983027	17,40

form	length	transmission	item	Euro
plan	1m	95% clear	983020	5,80
plan	2m	95% clear	983021	11,60
plan	3m	95% clear	983028	17,40

 F-01-12

form	length	transmission	item	Euro
flat	1m	40% milky	983524	5,80
flat	2m	40% milky	983525	11,60
flat	3m	40% milky	983526	17,40

form	length	transmission	item	Euro
flat	1m	75% mat	983522	5,80
flat	2m	75% mat	983523	11,60

form	length	transmission	item	Euro
flat	1m	95% clear	983520	5,80
flat	2m	95% clear	983521	11,60
flat	3m	95% clear	983527	17,40

 H-01-12

form	length	transmission	item	Euro
high	1m	40% milky	984024	7,20
high	2m	40% milky	984025	14,40
high	3m	40% milky	984026	21,60

form	length	transmission	item	Euro
high	1m	75% mat	984022	7,20
high	2m	75% mat	984023	14,40

 R-01-12

form	length	transmission	item	Euro
roand	1m	40% milky	984524	7,20
roand	2m	40% milky	984525	14,40
roand	3m	40% milky	984526	21,60

form	length	transmission	item	Euro
roand	1m	75% mat	984522	7,20
roand	2m	75% mat	984523	14,40



END CAPS | set, 2 pieces


form	color	item	Euro	form	color	item	Euro	form	color	item	Euro	form	color	item	Euro
plan	grey	978101	3,60	flat	grey	978601	3,60	high	grey	979051	3,60	roand	grey	979551	3,60
plan	black	978102	3,60	flat	black	978602	3,60	high	black	979052	3,60	roand	black	979552	3,60
plan	white	978100	3,60	flat	white	978600	3,60	high	white	979050	3,60	roand	white	979550	3,60

MOUNTING



accessories	item	Euro	accessories	item	Euro	accessories	item	Euro
double-sided tape W x L: 15 mm x 33 m	930348	19,00	fixation clamp - 12 set, 2 pieces	987006	3,00	universal mounting clip (swiveling) set, 2 pieces	987080	20,00

indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising



PROFILE | ET-01-15 | FLAT

material color	item	Euro
1m aluminum anodized	975060	12,00
2m aluminum anodized	975061	24,00
1m mat black brushed	975062	14,00
2m mat black brushed	975063	28,00
1m mat white	975064	14,00
2m mat white	975065	28,00
1m aluminum brushed	975066	14,00
2m aluminum brushed	975067	28,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

form	length	transmission	item	Euro
plan	1m	40% milky	983034	5,80
plan	2m	40% milky	983035	11,60
plan	3m	40% milky	983036	17,40

form	length	transmission	item	Euro
plan	1m	75% mat	983032	5,80
plan	2m	75% mat	983033	11,60
plan	3m	75% mat	983037	17,40

form	length	transmission	item	Euro
plan	1m	95% clear	983030	5,80
plan	2m	95% clear	983031	11,60
plan	3m	95% clear	983038	17,40

form	length	transmission	item	Euro
flat	1m	40% milky	983534	5,80
flat	2m	40% milky	983535	11,60
flat	3m	40% milky	983536	17,40

form	length	transmission	item	Euro
flat	1m	75% mat	983532	5,80
flat	2m	75% mat	983533	11,60
flat	2m	75% mat	983539	17,40

form	length	transmission	item	Euro
flat	1m	95% clear	983530	5,80
flat	2m	95% clear	983531	11,60

form	length	transmission	item	Euro
high	1m	40% milky	984034	8,50
high	2m	40% milky	984035	17,00
high	3m	40% milky	984036	25,50

form	length	transmission	item	Euro
high	1m	75% mat	984032	8,50
high	2m	75% mat	984033	17,00

form	length	transmission	item	Euro
roand	1m	40% milky	984534	8,50
roand	2m	40% milky	984535	17,00

form	length	transmission	item	Euro
roand	1m	75% mat	984532	8,50
roand	2m	75% mat	984533	17,00



END CAPS | set, 2 pieces

form	color	item	Euro
plan	grey	978111	3,60
plan	black	978112	3,60
plan	white	978110	3,60

form	color	item	Euro
flat	grey	978611	3,60
flat	black	978612	3,60
flat	white	978610	3,60

form	color	item	Euro
high	grey	979131	3,60
high	black	979132	3,60
high	white	979130	3,60

form	color	item	Euro
roand	grey	979631	3,60
roand	black	979632	3,60
roand	white	979630	3,60

MOUNTING




accessories	item	Euro
double-sided tape W x L: 20 mm x 33 m	930349	25,00

accessories	item	Euro
fixation clamp - 15 set, 2 pieces	987008	3,00

accessories	item	Euro
universal mounting clip (swiveling) set, 2 pieces	987080	20,00


indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising



PROFILE | ET-02-05 | HIGH

material color		item	Euro
1m aluminum anodized		975180	7,50
2m aluminum anodized		975181	15,00
1m mat black brushed		975182	9,00
2m mat black brushed		975183	18,00
1m mat white		975184	9,00
2m mat white		975185	18,00
1m aluminum brushed		975186	9,00
2m aluminum brushed		975187	18,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

	F-01-05								
form	length	transmission	item	Euro	form	length	transmission	item	Euro
flat	1m	40% milky	983554	4,00	flat	1m	95% clear	983550	4,00
flat	2m	40% milky	983555	8,00	flat	2m	95% clear	983551	8,00
flat	3m	40% milky	983556	12,00					

	H-01-05								
form	length	transmission	item	Euro					
high	1m	40% milky	984054	5,80					
high	2m	40% milky	984055	11,60					

	R-01-05								
form	length	transmission	item	Euro					
roand	1m	40% milky	984554	5,80					
roand	2m	40% milky	984555	11,60					



END CAPS | set, 2 pieces




form	color	item	Euro	form	color	item	Euro	form	color	item	Euro
flat	grey	978691	3,60	high	grey	979191	3,60	roand	grey	979691	3,60
flat	black	978692	3,60	high	black	979192	3,60	roand	black	979692	3,60
flat	white	978690	3,60	high	white	979190	3,60	roand	white	979690	3,60

MOUNTING



accessories	item	Euro
double-sided tape W x L: 8 mm x 33 m	930346	14,00


indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising



PROFILE | ET-02-08 | HIGH

material color	item	Euro
1m aluminum anodized	 975100	12,00
2m aluminum anodized	 975101	24,00
3m aluminum anodized	 975108	36,00
1m mat black brushed	 975102	14,00
2m mat black brushed	 975103	28,00
1m mat white	 975104	14,00
2m mat white	 975105	28,00
1m aluminum brushed	 975106	14,00
2m aluminum brushed	 975107	28,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)



P-01-08

form	length	transmission	item	Euro
plan	1m	40% milky	983004	5,80
plan	2m	40% milky	983005	11,60
plan	3m	40% milky	983008	17,40

form	length	transmission	item	Euro
plan	1m	75% mat	983002	5,80
plan	2m	75% mat	983003	11,60
plan	3m	75% mat	983007	17,40

form	length	transmission	item	Euro
plan	1m	95% clear	983000	5,80
plan	2m	95% clear	983001	11,60
plan	3m	95% clear	983006	17,40



F-01-08

form	length	transmission	item	Euro
flat	1m	40% milky	983504	5,80
flat	2m	40% milky	983505	11,60
flat	3m	40% milky	983506	17,40

form	length	transmission	item	Euro
flat	1m	75% mat	983502	5,80
flat	2m	75% mat	983503	11,60

form	length	transmission	item	Euro
flat	1m	95% clear	983500	5,80
flat	2m	95% clear	983501	11,60



H-01-08

form	length	transmission	item	Euro
high	1m	40% milky	984004	7,20
high	2m	40% milky	984005	14,40

form	length	transmission	item	Euro
high	1m	75% mat	984002	7,20
high	2m	75% mat	984003	14,40



P-02-08 | material: PC (Polycarbonat)

form	length	transmission	item	Euro
plan	2m	40% milky	983085	11,60
plan	3m	40% milky	983086	17,40



R-01-08

form	length	transmission	item	Euro
roand	1m	40% milky	984504	7,20
roand	2m	40% milky	984505	14,40

form	length	transmission	item	Euro
roand	1m	75% mat	984502	7,20
roand	2m	75% mat	984503	14,40



END CAPS | set, 2 pieces



form	color	item	Euro
plan	grey	978121	3,60
plan	black	978122	3,60
plan	white	978120	3,60

form	color	item	Euro
flat	grey	978621	3,60
flat	black	978622	3,60
flat	white	978620	3,60

form	color	item	Euro
high	grey	979141	3,60
high	black	979142	3,60
high	white	979140	3,60

form	color	item	Euro
roand	grey	979641	3,60
roand	black	979642	3,60
roand	white	979640	3,60

MOUNTING




accessories	item	Euro
double-sided tape W x L: 12 mm x 33 m	930347	15,00

accessories	item	Euro
fixation clamp - 08 set, 2 pieces	987002	3,00

accessories	item	Euro
universal mounting clip (swiveling) set, 2 pieces	987080	20,00

indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising



PROFILE | ET-02-10 | HIGH

material color	item	Euro
1m aluminum anodized	975120	12,00
2m aluminum anodized	975121	24,00
3m aluminum anodized	975128	36,00
4m aluminum anodized	975129	48,00
1m mat black brushed	975122	14,00
2m mat black brushed	975123	28,00
1m mat white	975124	14,00
2m mat white	975125	28,00
1m aluminum brushed	975126	14,00
2m aluminum brushed	975127	28,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

P-01-10

form	length	transmission	item	Euro
plan	1m	40% milky	983014	5,80
plan	2m	40% milky	983015	11,60
plan	3m	40% milky	983018	17,40
plan	4m	40% milky	983062	23,20

form	length	transmission	item	Euro
plan	1m	75% mat	983012	5,80
plan	2m	75% mat	983013	11,60
plan	3m	75% mat	983017	17,40
plan	4m	75% mat	983061	23,20

form	length	transmission	item	Euro
plan	1m	95% clear	983010	5,80
plan	2m	95% clear	983011	11,60
plan	3m	95% clear	983016	17,40
plan	4m	95% clear	983060	23,20

F-01-10

form	length	transmission	item	Euro
flat	1m	40% milky	983514	5,80
flat	2m	40% milky	983515	11,60
flat	3m	40% milky	983518	17,40
flat	4m	40% milky	983562	23,20

form	length	transmission	item	Euro
flat	1m	75% mat	983512	5,80
flat	2m	75% mat	983513	11,60
flat	3m	75% mat	983517	17,40
flat	4m	75% mat	983561	23,20

form	length	transmission	item	Euro
flat	1m	95% clear	983510	5,80
flat	2m	95% clear	983511	11,60
flat	3m	95% clear	983516	17,40
flat	4m	95% clear	983560	23,20

H-01-10

form	length	transmission	item	Euro
high	1m	40% milky	984014	7,20
high	2m	40% milky	984015	14,40
high	3m	40% milky	984018	21,60
high	4m	40% milky	984011	28,80

form	length	transmission	item	Euro
high	1m	75% mat	984012	7,20
high	2m	75% mat	984013	14,40
high	3m	75% mat	984017	21,60
high	4m	75% mat	984010	28,80

P-03-10 | material: PC (Polycarbonat)

form	length	transmission	item	Euro
plan	2m	40% milky	983083	11,60
plan	3m	40% milky	983084	17,40

R-01-10

form	length	transmission	item	Euro
roand	1m	40% milky	984514	7,20
roand	2m	40% milky	984515	14,40
roand	3m	40% milky	984518	21,60
roand	4m	40% milky	984511	28,80

form	length	transmission	item	Euro
roand	1m	75% mat	984512	7,20
roand	2m	75% mat	984513	14,40
roand	3m	75% mat	984517	21,60
roand	4m	75% mat	984510	28,80

L-01-10

form	length	transmission	item	Euro
Lens	1m	95% clear	985010	8,50
Lens	2m	95% clear	985011	17,00
Lens	3m	95% clear	985016	25,50



END CAPS | set, 2 pieces



form	color	item	Euro
plan	grey	978131	3,60
plan	black	978132	3,60
plan	white	978130	3,60

form	color	item	Euro
flat	grey	978631	3,60
flat	black	978632	3,60
flat	white	978630	3,60

form	color	item	Euro
high	grey	979061	3,60
high	black	979062	3,60
high	white	979060	3,60

form	color	item	Euro
roand	grey	979561	3,60
roand	black	979562	3,60
roand	white	979560	3,60



form	color	item	Euro
Lens	grey	980061	3,60
Lens	black	980062	3,60
Lens	white	980060	3,60

MOUNTING




accessories	item	Euro
double-sided tape with foam carrier for profiles W x L: 15 mm x 33 m	930348	19,00

accessories	item	Euro
fixation clamp - 10 set, 2 pieces	987004	3,00

accessories	item	Euro
universal mounting clip (swiveling) set, 2 pieces	987080	20,00

indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising



PROFILE | ET-02-12 | HIGH

material color	item	Euro
1m aluminum anodized	 975140	13,00
2m aluminum anodized	 975141	26,00
3m aluminum anodized	 975148	39,00
1m mat black brushed	 975142	16,00
2m mat black brushed	 975143	32,00
1m mat white	 975144	16,00
2m mat white	 975145	32,00
1m aluminum brushed	 975146	16,00
2m aluminum brushed	 975147	32,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

 P-01-12

form	length	transmission	item	Euro
plan	1m	40% milky	983024	5,80
plan	2m	40% milky	983025	11,60
plan	3m	40% milky	983026	17,40

form	length	transmission	item	Euro
plan	1m	75% mat	983022	5,80
plan	2m	75% mat	983023	11,60
plan	3m	75% mat	983027	17,40

form	length	transmission	item	Euro
plan	1m	95% clear	983020	5,80
plan	2m	95% clear	983021	11,60
plan	3m	95% clear	983028	17,40

 F-01-12

form	length	transmission	item	Euro
flat	1m	40% milky	983524	5,80
flat	2m	40% milky	983525	11,60
flat	3m	40% milky	983526	17,40

form	length	transmission	item	Euro
flat	1m	75% mat	983522	5,80
flat	2m	75% mat	983523	11,60

form	length	transmission	item	Euro
flat	1m	95% clear	983520	5,80
flat	2m	95% clear	983521	11,60
flat	3m	95% clear	983527	17,40

 H-01-12

form	length	transmission	item	Euro
high	1m	40% milky	984024	7,20
high	2m	40% milky	984025	14,40
high	3m	40% milky	984026	21,60

form	length	transmission	item	Euro
high	1m	75% mat	984022	7,20
high	2m	75% mat	984023	14,40

 R-01-12

form	length	transmission	item	Euro
roand	1m	40% milky	984524	7,20
roand	2m	40% milky	984525	14,40
roand	3m	40% milky	984526	21,60

form	length	transmission	item	Euro
roand	1m	75% mat	984522	7,20
roand	2m	75% mat	984523	14,40



END CAPS | set, 2 pieces


form	color	item	Euro	form	color	item	Euro	form	color	item	Euro	form	color	item	Euro
plan	grey	978141	3,60	flat	grey	978641	3,60	high	grey	979071	3,60	roand	grey	979571	3,60
plan	black	978142	3,60	flat	black	978642	3,60	high	black	979072	3,60	roand	black	979572	3,60
plan	white	978140	3,60	flat	white	978640	3,60	high	white	979070	3,60	roand	white	979570	3,60

MOUNTING



accessories	item	Euro	accessories	item	Euro	accessories	item	Euro
double-sided tape w x L: 15 mm x 33 m	930348	19,00	fixation clamp - 12 set, 2 pieces	987006	3,00	universal mounting clip (swiveling) set, 2 pieces	987080	20,00


indirect lighting | accent lighting | architecture | wall | ceiling | floor | furniture | kitchen | display | shelves | fairs | advertising



PROFILE | ET-02-15 | HIGH

material color	item	Euro
1m aluminum anodized	975160	13,00
2m aluminum anodized	975061	26,00
3m aluminum anodized	975168	39,00
1m mat black brushed	975162	16,00
2m mat black brushed	975163	32,00
1m mat white	975164	16,00
2m mat white	975165	32,00
1m aluminum brushed	975166	16,00
2m aluminum brushed	975167	32,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)



form	length	transmission	item	Euro
plan	1m	40% milky	983034	5,80
plan	2m	40% milky	983035	11,60
plan	3m	40% milky	983036	17,40

form	length	transmission	item	Euro
plan	1m	75% mat	983032	5,80
plan	2m	75% mat	983033	11,60
plan	3m	75% mat	983037	17,40

form	length	transmission	item	Euro
plan	1m	95% clear	983030	5,80
plan	2m	95% clear	983031	11,60
plan	3m	95% clear	983038	17,40



form	length	transmission	item	Euro
flat	1m	40% milky	983534	5,80
flat	2m	40% milky	983535	11,60
flat	3m	40% milky	983536	17,40

form	length	transmission	item	Euro
flat	1m	75% mat	983532	5,80
flat	2m	75% mat	983533	11,60
flat	2m	75% mat	983539	17,40

form	length	transmission	item	Euro
flat	1m	95% clear	983530	5,80
flat	2m	95% clear	983531	11,60



form	length	transmission	item	Euro
high	1m	40% milky	984034	8,50
high	2m	40% milky	984035	17,00
high	3m	40% milky	984036	25,50

form	length	transmission	item	Euro
high	1m	75% mat	984032	8,50
high	2m	75% mat	984033	17,00



form	length	transmission	item	Euro
roand	1m	40% milky	984534	8,50
roand	2m	40% milky	984535	17,00

form	length	transmission	item	Euro
roand	1m	75% mat	984532	8,50
roand	2m	75% mat	984533	17,00




END CAPS | set, 2 pieces

form	color	item	Euro	form	color	item	Euro	form	color	item	Euro	form	color	item	Euro
plan	grey	978151	3,60	flat	grey	978651	3,60	high	grey	979151	3,60	roand	grey	979651	3,60
plan	black	978152	3,60	flat	black	978652	3,60	high	black	979152	3,60	roand	black	979652	3,60
plan	white	978150	3,60	flat	white	978650	3,60	high	white	979150	3,60	roand	white	979650	3,60

MOUNTING

accessories	item	Euro	accessories	item	Euro	accessories	item	Euro
double-sided tape W x L: 20 mm x 33 m	930349	25,00	fixation clamp - 15 set, 2 pieces	987008	3,00	universal mounting clip (swiveling) set, 2 pieces	987080	20,00

usable to suspend from ceiling | indirect lighting | accent lighting | architecture | wall | ceiling | fair | advertising




PROFILE AH-01-20

material color	item	Euro
1m aluminum anodized	 970260	18,50
2m aluminum anodized	 970261	37,00
3m aluminum anodized	 970262	55,50

mounting support profile	item	Euro
1m aluminum nature	 970770	9,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

P-01-20

form	length	transmission	item-no.	Euro
plan	1m	40% milky	983044	7,20
plan	2m	40% milky	983045	14,40
plan	3m	40% milky	983046	24,60

form	length	transmission	item-no.	Euro
plan	1m	95% clear	983040	7,20
plan	2m	95% clear	983041	14,40

H-01-20

form	length	transmission	item-no.	Euro
high	1m	40% milky	984044	8,50
high	2m	40% milky	984045	17,00

R-01-20

form	length	transmission	item-no.	Euro
roand	1m	40% milky	984544	8,50
roand	2m	40% milky	984545	17,00



END CAPS | set, 2 pieces

form	color	item	Euro	form	color	item	Euro	form	color	item	Euro
plan	grey	978311	3,60	high	grey	979241	3,60	roand	grey	979741	3,60





accessories	item	Euro
set includes each 10 pieces 6 x 35 nylon dowels, 45 x 45 stainless steel screws	930111	7,00

MOUNTING



accessories	item	Euro	accessories	item	Euro	accessories	item	Euro
double-sided tape with foam carrier for profiles W x L: 25 mm x 33 m	930116	47,00	fixation clamp - 20 set, 2 pieces	987010	3,00	universal mounting clip (swiveling) set, 2 pieces	987080	20,00


usable to suspend from ceiling | indirect lighting | accent lighting | architecture | wall | ceiling | fair | advertising



PROFILE AU-03-12

material color	item	Euro
1m aluminum anodized	970230	15,00
2m aluminum anodized	970231	30,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

P-01-12

form	length	transmission	item	Euro	form	length	transmission	item	Euro	form	length	transmission	item	Euro
plan	1m	40% milky	983024	5,80	plan	1m	75% mat	983022	5,80	plan	1m	95% clear	983020	5,80
plan	2m	40% milky	983025	11,60	plan	2m	75% mat	983023	11,60	plan	2m	95% clear	983021	11,60
plan	3m	40% milky	983026	17,40	plan	3m	75% mat	983027	17,40	plan	3m	95% clear	983028	17,40

F-01-12

form	length	transmission	item	Euro	form	length	transmission	item	Euro	form	length	transmission	item	Euro
flat	1m	40% milky	983524	5,80	flat	1m	75% mat	983522	5,80	flat	1m	95% clear	983520	5,80
flat	2m	40% milky	983525	11,60	flat	2m	75% mat	983523	11,60	flat	2m	95% clear	983521	11,60
flat	3m	40% milky	983526	17,40						flat	3m	95% clear	983527	17,40

H-01-12

form	length	transmission	item	Euro	form	length	transmission	item	Euro
high	1m	40% milky	984024	7,20	high	1m	75% mat	984022	7,20
high	2m	40% milky	984025	14,40	high	2m	75% mat	984023	14,40
high	3m	40% milky	984026	21,60					

R-01-12

form	length	transmission	item	Euro	form	length	transmission	item	Euro
roand	1m	40% milky	984524	7,20	roand	1m	75% mat	984522	7,20
roand	2m	40% milky	984525	14,40	roand	2m	75% mat	984523	14,40
roand	3m	40% milky	984526	21,60					



END CAPS | set, 2 pieces

form	color	item	Euro	form	color	item	Euro	form	color	item	Euro	form	color	item	Euro
plan	grey	978291	3,60	flat	grey	978711	3,60	high	grey	979221	3,60	roand	grey	979721	3,60



MOUNTING



accessories	item	Euro	accessories	item	Euro	accessories	item	Euro
sliding block with springsset set, 2 pieces	987040	6,00	universal sliding block straight connector set, 2 pieces.	987020	6,00	wire suspension 2m wire swiveling set, 2 pieces.	987060	30,00

For the mounting the wire suspension you need the universal sliding block (987020).

usable to suspend from ceiling | indirect lighting | accent lighting | architecture | wall | ceiling | fair | advertising



PROFILE ET-04-12

material color	item	Euro
1m aluminum anodized	970230	15,00
2m aluminum anodized	970231	30,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

P-01-12

form	length	transmission	item	Euro
plan	1m	40% milky	983024	5,80
plan	2m	40% milky	983025	11,60
plan	3m	40% milky	983026	17,40

form	length	transmission	item	Euro
plan	1m	75% mat	983022	5,80
plan	2m	75% mat	983023	11,60
plan	3m	75% mat	983027	17,40

form	length	transmission	item	Euro
plan	1m	95% clear	983020	5,80
plan	2m	95% clear	983021	11,60
plan	3m	95% clear	983028	17,40

F-01-12

form	length	transmission	item	Euro
flat	1m	40% milky	983524	5,80
flat	2m	40% milky	983525	11,60
flat	3m	40% milky	983526	17,40

form	length	transmission	item	Euro
flat	1m	75% mat	983522	5,80
flat	2m	75% mat	983523	11,60

form	length	transmission	item	Euro
flat	1m	95% clear	983520	5,80
flat	2m	95% clear	983521	11,60
flat	3m	95% clear	983527	17,40

H-01-12

form	length	transmission	item	Euro
high	1m	40% milky	984024	7,20
high	2m	40% milky	984025	14,40
high	3m	40% milky	984026	21,60

form	length	transmission	item	Euro
high	1m	75% mat	984022	7,20
high	2m	75% mat	984023	14,40

R-01-12

form	length	transmission	item	Euro
roand	1m	40% milky	984524	7,20
roand	2m	40% milky	984525	14,40
roand	3m	40% milky	984526	21,60

form	length	transmission	item	Euro
roand	1m	75% mat	984522	7,20
roand	2m	75% mat	984523	14,40



END CAPS | set, 2 pieces



form	color	item	Euro
plan	grey	978301	3,60

form	color	item	Euro
flat	grey	978721	3,60

form	color	item	Euro
high	grey	979231	3,60

form	color	item	Euro
roand	grey	979731	3,60

MOUNTING




accessories	item	Euro
sliding block with springsset set, 2 pieces	987040	6,00

accessories	item	Euro
universal sliding block straight connector set, 2 pieces.	987020	6,00

accessories	item	Euro
wire suspension 2m wire swiveling set, 2 pieces.	987060	30,00

For the mounting the wire suspension you need the universal sliding block (987020).

usable to suspend from ceiling | indirect lighting | accent lighting | architecture | wall | ceiling | fair | advertising



- » Frameless cover
- » Universal groove, among other purposes for invisiblemounting clip
- » Screwable end caps
- » Homogeneous lighting

PROFILE AU-10-12

material color	item	Euro
2,00m aluminum anodized	970280	30,00
3,00m aluminum anodized	970281	45,00
2,00m aluminum white lackiert	970284	33,00
3,00m aluminum white lackiert	970285	49,50

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)



form	length	transmission	item-no.	Euro
plan	2m	40% milky	983090	19,60
plan	3m	40% milky	983091	29,40

MOUNTING



accessories	item	Euro
mountingclip set, 2 pieces	980023	3,60



accessories	item	Euro	accessories	item	Euro	accessories	item	Euro
universal sliding block straight connector	987025	8,00	universal sliding block 120° corner connector	987026	8,00	universal sliding block 90° corner connector	987027	8,00

NEU
NEW
Available from
Feb.'19





END CAPS | set, 2 pieces | aluminum



form	color	item	Euro	form	color	item	Euro
plan	anodized	980020	15,00	plan	anodized	980021	15,00



special and ideal for tiles and porcelain stoneware | bathrooms | kitchen | restaurants | hotels | public buildings | brick veneer ceiling




plan



PROFILE **EL-01-08** | corner outside

material color	item	Euro
1,25m aluminum anodized	975330	20,00
2,00m aluminum anodized	975333	32,00
2,50m aluminum anodized	975331	40,00
3,00m aluminum anodized	975334	48,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)



P-01-08

form	length	transmission	item-no.	Euro
plan	1m	40% milky	983004	5,80
plan	2m	40% milky	983005	11,60
plan	3m	40% milky	983008	17,40

form	length	transmission	item-no.	Euro
plan	1m	75% mat	983002	5,80
plan	2m	75% mat	983003	11,60
plan	3m	75% mat	983007	17,40

form	length	transmission	item-no.	Euro
plan	1m	95% clear	983000	5,80
plan	2m	95% clear	983001	11,60
plan	3m	95% clear	983006	17,40

END CAPS | set, 2 pieces



form	color	item	Euro
plan	grey	978211	3,60



P-02-08 | material: PC (Polycarbonat)

form	length	transmission	item	Euro
plan	2m	40% milky	983085	11,60
plan	3m	40% milky	983086	17,40

MOUNTING


accessories	item	Euro
mounting glue white 310 ml cartridge bond + seal power	930105	34,00



The above-mentioned profile is designed for a tile strength of 9mm max.
The tile profiles are only suitable for wet cells in connection with suitable stripes or casting techniques. It is also recommended to let the profiles run vertically into the floor and ceiling, so that a clean, water-impermeable finish is created at the top and bottom using an acrylic or silicone joint.




special and ideal for tiles and porcelain stoneware | bathrooms | kitchen | restaurants | hotels | public buildings | brick veneer ceiling



PROFILE EV-01-08 | corner inside

material color	item	Euro
1,25m aluminum anodized	 975340	35,00
2,00m aluminum anodized	 975343	56,00
2,50m aluminum anodized	 975341	70,00
3,00m aluminum anodized	 975344	84,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)



P-01-08

form	length	transmission	item-no.	Euro
plan	1m	40% milky	983004	5,80
plan	2m	40% milky	983005	11,60
plan	3m	40% milky	983008	17,40

form	length	transmission	item-no.	Euro
plan	1m	75% mat	983002	5,80
plan	2m	75% mat	983003	11,60
plan	3m	75% mat	983007	17,40

form	length	transmission	item-no.	Euro
plan	1m	95% clear	983000	5,80
plan	2m	95% clear	983001	11,60
plan	3m	95% clear	983006	17,40



E-01-08

form	length	transmission	item-no.	Euro
corner	1m	40% milky	985504	7,20
corner	2m	40% milky	985505	14,40
corner	3m	40% milky	985508	21,60

The above-mentioned profile is designed for a tile strength of 9mm max.
The tile profiles are only suitable for wet cells in connection with suitable stripes or casting techniques. It is also recommended to let the profiles run vertically into the floor and ceiling, so that a clean, water-impermeable finish is created at the top and bottom using an acrylic or silicone joint.

END CAPS | set, 2 pieces



form	color	item	Euro	form	color	item	Euro
plan	grey	978221	3,60	Ecke	grey	980501	3,60




MOUNTING

accessories	item	Euro
mounting glue white 310 ml cartridge bond + seal power	930105	34,00




special and ideal for tiles and porcelain stoneware | bathrooms | kitchen | restaurants | hotels | public buildings | brick veneer ceiling



PROFILE EV-02-08 | corner outside

material color	item	Euro
1,25m aluminum anodized	975350	30,00
2,00m aluminum anodized	975353	48,00
2,50m aluminum anodized	975351	60,00
3,00m aluminum anodized	975354	60,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)



form	length	transmission	item-no.	Euro
plan	1m	40% milky	983004	5,80
plan	2m	40% milky	983005	11,60
plan	3m	40% milky	983008	17,40

form	length	transmission	item-no.	Euro
plan	1m	75% mat	983002	5,80
plan	2m	75% mat	983003	11,60
plan	3m	75% mat	983007	17,40

form	length	transmission	item-no.	Euro
plan	1m	95% clear	983000	5,80
plan	2m	95% clear	983001	11,60
plan	3m	95% clear	983006	17,40



form	length	transmission	item-no.	Euro
corner	1m	40% milky	985504	7,20
corner	2m	40% milky	985505	14,40
corner	3m	40% milky	985508	21,60

The above-mentioned profile is designed for a tile strength of 9mm max.
The tile profiles are only suitable for wet cells in connection with suitable stripes or casting techniques. It is also recommended to let the profiles run vertically into the floor and ceiling, so that a clean, water-impermeable finish is created at the top and bottom using an acrylic or silicone joint.

END CAPS | set, 2 pieces

form	color	item	Euro
plan	grey	978221	3,60

form	color	item	Euro
Ecke	grey	980501	3,60




MOUNTING

accessories	item	Euro
mounting glue white 310 ml cartridge bond + seal power	930105	34,00




special and ideal for tiles and porcelain stoneware | bathrooms | kitchen | restaurants | hotels | public buildings | brick veneer ceiling



PROFILE EL-03-12 | corner outside

material color	item	Euro
1,25m aluminum anodized	975360	22,00
2,50m aluminum anodized	975361	44,00
1,25m aluminum brushed	975366	25,00
2,50m aluminum brushed	975367	50,00
1,25m aluminum white lackiert	975364	25,00
2,50m aluminum white lackiert	975365	50,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)



form	length	transmission	item-no.	Euro
plan	1m	40% milky	983024	5,80
plan	2m	40% milky	983025	11,60
plan	3m	40% milky	983026	17,40

form	length	transmission	item-no.	Euro
plan	1m	75% mat	983022	5,80
plan	2m	75% mat	983023	11,60
plan	3m	75% mat	983027	17,40





form	length	transmission	item	Euro
high	1m	40% milky	984024	7,20
high	2m	40% milky	984025	14,40
high	3m	40% milky	984026	21,60

form	length	transmission	item	Euro
high	1m	75% mat	984022	7,20
high	2m	75% mat	984023	14,40

The above-mentioned profile is designed for a tile strength of 12mm max.
The tile profiles are only suitable for wet cells in connection with suitable stripes or casting techniques. It is also recommended to let the profiles run vertically into the floor and ceiling, so that a clean, water-impermeable finish is created at the top and bottom using an acrylic or silicone joint.

special and ideal for tiles and porcelain stoneware | bathrooms | kitchen | restaurants | hotels | public buildings | brick veneer ceiling



NEU
NEW
Available from
Feb.'19

PROFILE EA-03-12 | graduation

material color	item	Euro
2,00m aluminum anodized	975390	32,00
3,00m aluminum anodized	975391	48,00
2,00m aluminum white lackiert	975394	35,00
3,00m aluminum white lackiert	975395	51,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)



form	length	transmission	item-no.	Euro
plan	1m	40% milky	983004	5,80
plan	2m	40% milky	983005	11,60
plan	3m	40% milky	983008	17,40

form	length	transmission	item-no.	Euro
plan	1m	75% mat	983002	5,80
plan	2m	75% mat	983003	11,60
plan	3m	75% mat	983007	17,40





form	length	transmission	item	Euro
high	1m	40% milky	984004	7,20
high	2m	40% milky	984005	14,40

form	length	transmission	item	Euro
high	1m	75% mat	984002	7,20
high	2m	75% mat	984003	14,40

The above-mentioned profile is designed for a tile strength of 12mm max.
The tile profiles are only suitable for wet cells in connection with suitable stripes or casting techniques. It is also recommended to let the profiles run vertically into the floor and ceiling, so that a clean, water-impermeable finish is created at the top and bottom using an acrylic or silicone joint.




special and ideal for tiles and porcelain stoneware | bathrooms | kitchen | restaurants | hotels | public buildings | brick veneer ceiling



PROFILE EV-01-12 | corner inside

material color	item	Euro
1,25m aluminum anodized	975370	40,00
2,50m aluminum anodized	975371	80,00
1,25m aluminum brushed	975376	45,00
2,50m aluminum brushed	975377	90,00
1,25m aluminum white lackiert	975374	45,00
2,50m aluminum white lackiert	975375	90,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)




form	length	transmission	item-no.	Euro	form	length	transmission	item-no.	Euro	form	length	transmission	item-no.	Euro
plan	1m	40% milky	983024	5,80	plan	1m	75% mat	983022	5,80	plan	1m	95% clear	983020	5,80
plan	2m	40% milky	983025	11,60	plan	2m	75% mat	983023	11,60	plan	2m	95% clear	983021	11,60
plan	3m	40% milky	983026	17,40	plan	3m	75% mat	983027	17,40	plan	3m	95% clear	983028	17,40

The above-mentioned profile is designed for a tile strength of 12mm max.
The tile profiles are only suitable for wet cells in connection with suitable stripes or casting techniques. It is also recommended to let the profiles run vertically into the floor and ceiling, so that a clean, water-impermeable finish is created at the top and bottom using an acrylic or silicone joint.




special and ideal for tiles and porcelain stoneware | bathrooms | kitchen | restaurants | hotels | public buildings | brick veneer ceiling



PROFILE EV-02-12 | corner outside

material color	item	Euro
1,25m aluminum anodized	975380	35,00
2,50m aluminum anodized	975381	70,00
1,25m aluminum brushed	975386	40,00
2,50m aluminum brushed	975387	80,00
1,25m aluminum white lackiert	975384	40,00
2,50m aluminum white lackiert	975385	80,00

service package	item	price
paint in desired color to RAL	989900	on request




COVER | material: PMMA (Polymethylmethacrylat)



form	length	transmission	item-no.	Euro	form	length	transmission	item-no.	Euro	form	length	transmission	item-no.	Euro
plan	1m	40% milky	983024	5,80	plan	1m	75% mat	983022	5,80	plan	1m	95% clear	983020	5,80
plan	2m	40% milky	983025	11,60	plan	2m	75% mat	983023	11,60	plan	2m	95% clear	983021	11,60
plan	3m	40% milky	983026	17,40	plan	3m	75% mat	983027	17,40	plan	3m	95% clear	983028	17,40

The above-mentioned profile is designed for a tile strength of 12mm max.
The tile profiles are only suitable for wet cells in connection with suitable stripes or casting techniques. It is also recommended to let the profiles run vertically into the floor and ceiling, so that a clean, water-impermeable finish is created at the top and bottom using an acrylic or silicone joint.


suspended ceilings | residential, hotel, restaurant, offices, public buildings | indirect lighting | light lines | accent lighting | architecture



PROFILE AV-02-10 | corner outside

material color	item	Euro
2,50m aluminum anodized	970450	45,00
3,00m aluminum anodized	970455	54,00
2,50m mat white	970452	50,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)



P-01-10

form	length	transmission	item-no.	Euro
plan	1m	40% milky	983014	5,80
plan	2m	40% milky	983015	11,60
plan	3m	40% milky	983018	17,40

form	length	transmission	item-no.	Euro
plan	1m	75% mat	983012	5,80
plan	2m	75% mat	983013	11,60
plan	3m	75% mat	983017	17,40

form	length	transmission	item-no.	Euro
plan	1m	95% clear	983010	5,80
plan	2m	95% clear	983011	11,60
plan	3m	95% clear	983016	17,40



E-01-10 | corner outside

form	length	transmission	item-no.	Euro
corner	1m	40% milky	985514	8,50
corner	2m	40% milky	985515	17,00
corner	3m	40% milky	985518	25,50



E-01-10 | corner inside

form	length	transmission	item-no.	Euro
corner	1m	40% milky	985554	5,80
corner	2m	40% milky	985555	11,60
corner	3m	40% milky	985558	17,40



P-03-10 | material: PC (Polycarbonat)

form	length	transmission	item	Euro
plan	2m	40% milky	983083	11,60
plan	3m	40% milky	983084	17,40



END CAPS | set, 2 pieces



form	color	item	Euro
plan	grey	978181	3,60
plan	white	978180	3,60

form	color	item	Euro
Ecke	grey	980521	3,60
Ecke	white	980520	3,60

MOUNTING




accessories	item	Euro
double-sided tape W x L: 15 mm x 33 m	930348	19,00

accessories	item	Euro
set includes each 10 pieces 6 x 35 nylon dowels, 45 x 45 stainless steel screws	930111	7,00

accessories	item	Euro
mounting glue white 310 ml cartridge bond + seal power	930105	34,00


suspended ceilings | residential, hotel, restaurant, offices, public buildings | indirect lighting | light lines | accent lighting | architecture



PROFILE **EV-03-10** | corner inside

material color	item	Euro
2,50m aluminum anodized	975460	45,00
2,50m mat white	9705462	50,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)



P-01-10

form	length	transmission	item-no.	Euro
plan	1m	40% milky	983014	5,80
plan	2m	40% milky	983015	11,60
plan	3m	40% milky	983018	17,40

form	length	transmission	item-no.	Euro
plan	1m	75% mat	983012	5,80
plan	2m	75% mat	983013	11,60
plan	3m	75% mat	983017	17,40

form	length	transmission	item-no.	Euro
plan	1m	95% clear	983010	5,80
plan	2m	95% clear	983011	11,60
plan	3m	95% clear	983016	17,40



E-01-10 | corner outside

form	length	transmission	item-no.	Euro
corner	1m	40% milky	985514	8,50
corner	2m	40% milky	985515	17,00
corner	3m	40% milky	985518	25,50



E-01-10 | corner inside

form	length	transmission	item-no.	Euro
corner	1m	40% milky	985554	5,80
corner	2m	40% milky	985555	11,60
corner	3m	40% milky	985558	17,40



P-03-10 | material: PC (Polycarbonat)

form	length	transmission	item	Euro
plan	2m	40% milky	983083	11,60
plan	3m	40% milky	983084	17,40



END CAPS | set, 2 pieces



form	color	item	Euro
plan	grey	978281	3,60
plan	white	978280	3,60

form	color	item	Euro
Ecke	grey	980531	3,60
Ecke	white	980530	3,60

MOUNTING




accessories	item	Euro
double-sided tape B x L: 20 mm x 33 m	930115	39,00

accessories	item	Euro
set includes each 10 pieces 6 x 35 nylon dowels, 45 x 45 stainless steel screws	930111	7,00

accessories	item	Euro
mounting glue white 310 ml cartridge bond + seal power	930105	34,00




suspended ceilings | residential, hotel, restaurant, offices, public buildings | indirect lighting | light lines | accent lighting | architecture



PROFILE EL-02-12 | wall cover

material color	item	Euro
1,00m aluminum anodized	975490	30,00
2,00m aluminum anodized	975491	60,00
1,00m mat white	975494	35,00
2,00m mat white	975495	70,00

service package	item	price
paint in desired color to RAL	989900	on request



END CAPS | set, 2 pieces | left | right



form	color	item	Euro
plan	grey	978251	3,60
plan	white	978250	3,60

COVER | material: PMMA (Polymethylmethacrylat)



P-01-12

form	length	transmission	item-no.	Euro
plan	1m	40% milky	983024	5,80
plan	2m	40% milky	983025	11,60

form	length	transmission	item-no.	Euro
plan	1m	75% mat	983022	5,80
plan	2m	75% mat	983023	11,60

form	length	transmission	item-no.	Euro
plan	1m	95% clear	983020	5,80
plan	2m	95% clear	983021	11,60

MOUNTING




accessories	item	Euro
sliding block with springsset set, 2 pieces	987040	6,00

accessories	item	Euro
universal sliding block straight connector set, 2 pieces.	987020	6,00

accessories	item	Euro
mounting glue white 310 ml cartridge bond + seal power	930105	34,00


suspended ceilings | residential, hotel, restaurant, offices, public buildings | indirect lighting | light lines | accent lighting | architecture



PROFILE ET-03-10 | wall | ceiling

material color	item	Euro
1,25m aluminum anodized	975470	23,00
2,00m aluminum anodized	975473	36,80
2,50m aluminum anodized	975471	46,00
3,00m aluminum anodized	975476	55,20
1,25m mat white	975474	26,00
2,50m mat white	975475	52,00
mounting support profile	item	Euro
1,25m aluminum nature	970762	5,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

P-01-10

form	length	transmission	item	Euro
plan	1m	40% milky	983014	5,80
plan	2m	40% milky	983015	11,60
plan	3m	40% milky	983018	17,40

form	length	transmission	item	Euro
plan	1m	75% mat	983012	5,80
plan	2m	75% mat	983013	11,60
plan	3m	75% mat	983017	17,40

form	length	transmission	item	Euro
plan	1m	95% clear	983010	5,80
plan	2m	95% clear	983011	11,60
plan	3m	95% clear	983016	17,40

H-01-10

form	length	transmission	item	Euro
high	1m	40% milky	984014	7,20
high	2m	40% milky	984015	14,40
high	3m	40% milky	984018	21,60

form	length	transmission	item	Euro
high	1m	75% mat	984012	7,20
high	2m	75% mat	984013	14,40
high	3m	75% mat	984017	21,60

P-03-10 | material: PC (Polycarbonat)

form	length	transmission	item	Euro
plan	2m	40% milky	983083	11,60
plan	3m	40% milky	983084	17,40

R-01-10

form	length	transmission	item	Euro
round	1m	40% milky	984514	7,20
round	2m	40% milky	984515	14,40
round	3m	40% milky	984518	21,60

form	length	transmission	item	Euro
round	1m	75% mat	984512	7,20
round	2m	75% mat	984513	14,40
round	3m	75% mat	984517	21,60



END CAPS | set, 2 pieces



form	color	item	Euro
plan	grey	978261	3,60
plan	white	978260	3,60

form	color	item	Euro
high	grey	979201	3,60
high	white	978200	3,60

form	color	item	Euro
round	grey	979701	3,60
round	white	978700	3,60



MOUNTING




accessories	item	Euro
sliding block with springs set, 2 pieces	987040	34,00

accessories	item	Euro
universal sliding block straight connector set, 2 pieces.	987020	6,00

accessories	item	Euro
mounting glue 310ml-cartridge white bond + seal power	930105	6,00

suspended ceilings | residential, hotel, restaurant, offices, public buildings | indirect lighting | light lines | accent lighting | architecture




PROFILE EL-03-10 | ceiling cover

material color	item	Euro
1,25m aluminum anodized	975480	30,00
2,00m aluminum anodized	975483	48,00
2,50m aluminum anodized	975481	60,00
3,00m aluminum anodized	975486	72,00
1,25m mat white	975484	33,00
2,50m mat white	975485	66,00

mounting support profile	item	Euro
1,25m aluminum nature	970762	5,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

P-01-10

form	length	transmission	item	Euro
plan	1m	40% milky	983014	5,80
plan	2m	40% milky	983015	11,60
plan	3m	40% milky	983018	17,40

form	length	transmission	item	Euro
plan	1m	75% mat	983012	5,80
plan	2m	75% mat	983013	11,60
plan	3m	75% mat	983017	17,40

form	length	transmission	item	Euro
plan	1m	95% clear	983010	5,80
plan	2m	95% clear	983011	11,60
plan	3m	95% clear	983016	17,40

H-01-10

form	length	transmission	item	Euro
high	1m	40% milky	984014	7,20
high	2m	40% milky	984015	14,40
high	3m	40% milky	984018	21,60

form	length	transmission	item	Euro
high	1m	75% mat	984012	7,20
high	2m	75% mat	984013	14,40
high	3m	75% mat	984017	21,60

P-03-10 | material: PC (Polycarbonat)

form	length	transmission	item	Euro
plan	2m	40% milky	983083	11,60
plan	3m	40% milky	983084	17,40

R-01-10

form	length	transmission	item	Euro
round	1m	40% milky	984514	7,20
round	2m	40% milky	984515	14,40
round	3m	40% milky	984518	21,60

form	length	transmission	item	Euro
round	1m	75% mat	984512	7,20
round	2m	75% mat	984513	14,40
round	3m	75% mat	984517	21,60



END CAPS | set, 2 pieces



form	color	item	Euro
plan	grey	978271	3,60
plan	white	978270	3,60

form	color	item	Euro
high	grey	979211	3,60
high	white	978210	3,60

form	color	item	Euro
round	grey	979711	3,60
round	white	978710	3,60



MOUNTING



accessories	item	Euro
set includes each 10 pieces 6 x 35 nylon dowels, 45 x 45 stainless steel screws	930111	7,00

suspended ceilings | residential, hotel, restaurant, offices, public buildings | indirect lighting | light lines | accent lighting | architecture

NEU
NEW
Available from
Feb.'19




- » Optimized for installation with gypsum board panels
- » Easily plasterable due to protective inlay
- » increased passive cooling of stripes due to cooling fins
- » Optimal for homogeneously bright light runs

PROFILE **EU-01-36** | wall | ceiling

material color	item	Euro
3,00m aluminum nature	975501	120,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)


P-01-10

form	length	transmission	item	Euro
plan	3m	40% milky	985601	34,80

form	length	item	Euro
plan	3m	985605	25,00




specifi cally and ideally suited as a illuminated kitchen wallboards | restriction lighting | indirect lighting | accent lighting | wall | ceiling



PROFILE AV-01-10

material color	item	Euro
1,00m aluminum anodized	970400	14,00
2,00m aluminum anodized	970401	28,00
3,00m aluminum anodized	970404	42,00
1,00m mat white	970402	16,00
2,50m mat white	970403	33,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

P-01-10

form	length	transmission	item	Euro
plan	1m	40% milky	983014	5,80
plan	2m	40% milky	983015	11,60
plan	3m	40% milky	983018	17,40
plan	4m	40% milky	983062	23,20

form	length	transmission	item	Euro
plan	1m	75% mat	983012	5,80
plan	2m	75% mat	983013	11,60
plan	3m	75% mat	983017	17,40
plan	4m	75% mat	983061	23,20

form	length	transmission	item	Euro
plan	1m	95% clear	983010	5,80
plan	2m	95% clear	983011	11,60
plan	3m	95% clear	983016	17,40
plan	4m	95% clear	983060	23,20

F-01-10

form	length	transmission	item	Euro
flat	1m	40% milky	983514	5,80
flat	2m	40% milky	983515	11,60
flat	3m	40% milky	983518	17,40
flat	4m	40% milky	983562	23,20

form	length	transmission	item	Euro
flat	1m	75% mat	983512	5,80
flat	2m	75% mat	983513	11,60
flat	3m	75% mat	983517	17,40
flat	4m	75% mat	983561	23,20

form	length	transmission	item	Euro
flat	1m	95% clear	983510	5,80
flat	2m	95% clear	983511	11,60
flat	3m	95% clear	983516	17,40
flat	4m	95% clear	983560	23,20

H-01-10

form	length	transmission	item	Euro
high	1m	40% milky	984014	7,20
high	2m	40% milky	984015	14,40
high	3m	40% milky	984018	21,60
high	4m	40% milky	984011	28,80

form	length	transmission	item	Euro
high	1m	75% mat	984012	7,20
high	2m	75% mat	984013	14,40
high	3m	75% mat	984017	21,60
high	4m	75% mat	984010	28,80

P-03-10 | material: PC (Polycarbonat)

form	length	transmission	item	Euro
plan	2m	40% milky	983083	11,60
plan	3m	40% milky	983084	17,40

R-01-10

form	length	transmission	item	Euro
roand	1m	40% milky	984514	7,20
roand	2m	40% milky	984515	14,40
roand	3m	40% milky	984518	21,60
roand	4m	40% milky	984511	28,80

form	length	transmission	item	Euro
roand	1m	75% mat	984512	7,20
roand	2m	75% mat	984513	14,40
roand	3m	75% mat	984517	21,60
roand	4m	75% mat	984510	28,80

L-01-10

form	length	transmission	item	Euro
Lens	1m	95% clear	985010	8,50
Lens	2m	95% clear	985011	17,00
Lens	3m	95% clear	985016	25,50



END CAPS | set, 2 pieces



form	color	item	Euro
plan	grey	978171	3,60

MOUNTING




accessories	item	Euro
double-sided tape with foam carrier for profiles W x L: 15 mm x 33 m	930348	19,00

accessories	item	Euro
set includes each 10 pieces 6 x 35 nylon dowels, 45 x 45 stainless steel screws	930111	7,00

accessories	item	Euro
mounting glue white 310 ml cartridge bond + seal power	930105	34,00

specifi cally and ideally suited as a illuminated kitchen wallboars | restriction lighting | indirect lighting | accent lighting | wall | ceiling



PROFILE AV-04-12

material color	item	Euro
1,00m aluminum anodized	 970410	16,00
2,00m aluminum anodized	 970411	32,00
3,00m aluminum anodized	 970414	48,00
1,00m mat white	 970412	18,00
2,50m mat white	 970413	36,00

service package	item	price
paint in desired color to RAL	 989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

 P-01-12

form	length	transmission	item	Euro
plan	1m	40% milky	983024	5,80
plan	2m	40% milky	983025	11,60
plan	3m	40% milky	983026	17,40

form	length	transmission	item	Euro
plan	1m	75% mat	983022	5,80
plan	2m	75% mat	983023	11,60
plan	3m	75% mat	983027	17,40

form	length	transmission	item	Euro
plan	1m	95% clear	983020	5,80
plan	2m	95% clear	983021	11,60
plan	3m	95% clear	983028	17,40

 F-01-12

form	length	transmission	item	Euro
flat	1m	40% milky	983524	5,80
flat	2m	40% milky	983525	11,60
flat	3m	40% milky	983526	17,40

form	length	transmission	item	Euro
flat	1m	75% mat	983522	5,80
flat	2m	75% mat	983523	11,60

form	length	transmission	item	Euro
flat	1m	95% clear	983520	5,80
flat	2m	95% clear	983521	11,60
flat	3m	95% clear	983527	17,40

 H-01-12

form	length	transmission	item	Euro
high	1m	40% milky	984024	7,20
high	2m	40% milky	984025	14,40
high	3m	40% milky	984026	21,60

form	length	transmission	item	Euro
high	1m	75% mat	984022	7,20
high	2m	75% mat	984023	14,40

 R-01-12

form	length	transmission	item	Euro
roand	1m	40% milky	984524	7,20
roand	2m	40% milky	984525	14,40
roand	3m	40% milky	984526	21,60

form	length	transmission	item	Euro
roand	1m	75% mat	984522	7,20
roand	2m	75% mat	984523	14,40




END CAPS | set, 2 pieces



form	color	item	Euro
plan	grey	978331	3,60
plan	white	978330	3,60

MOUNTING




accessories	item	Euro
double-sided tape with foam carrier for profiles W x L: 15 mm x 33 m	930348	19,00

accessories	item	Euro
set includes each 10 pieces 6 x 35 nylon dowels, 45 x 45 stainless steel screws	930111	7,00

accessories	item	Euro
mounting glue white 310 ml cartridge bond + seal power	930105	34,00


specifi cally and ideally suited as a illuminated kitchen wallboars | restriction lighting | indirect lighting | accent lighting | wall | ceiling



PROFILE EV-04-12

material color	item	Euro
1,00m aluminum anodized	975410	16,00
2,00m aluminum anodized	975411	32,00
3,00m aluminum anodized	975414	48,00
1,00m mat white	975412	18,00
2,00m mat white	975413	36,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

P-01-12

form	length	transmission	item	Euro
plan	1m	40% milky	983024	5,80
plan	2m	40% milky	983025	11,60
plan	3m	40% milky	983026	17,40

form	length	transmission	item	Euro
plan	1m	75% mat	983022	5,80
plan	2m	75% mat	983023	11,60
plan	3m	75% mat	983027	17,40

form	length	transmission	item	Euro
plan	1m	95% clear	983020	5,80
plan	2m	95% clear	983021	11,60
plan	3m	95% clear	983028	17,40

F-01-12

form	length	transmission	item	Euro
flat	1m	40% milky	983524	5,80
flat	2m	40% milky	983525	11,60
flat	3m	40% milky	983526	17,40

form	length	transmission	item	Euro
flat	1m	75% mat	983522	5,80
flat	2m	75% mat	983523	11,60

form	length	transmission	item	Euro
flat	1m	95% clear	983520	5,80
flat	2m	95% clear	983521	11,60
flat	3m	95% clear	983527	17,40

H-01-12

form	length	transmission	item	Euro
high	1m	40% milky	984024	7,20
high	2m	40% milky	984025	14,40
high	3m	40% milky	984026	21,60

form	length	transmission	item	Euro
high	1m	75% mat	984022	7,20
high	2m	75% mat	984023	14,40

R-01-12

form	length	transmission	item	Euro
roand	1m	40% milky	984524	7,20
roand	2m	40% milky	984525	14,40
roand	3m	40% milky	984526	21,60

form	length	transmission	item	Euro
roand	1m	75% mat	984522	7,20
roand	2m	75% mat	984523	14,40



END CAPS | set, 2 pieces



form	color	item	Euro
plan	grey	978341	3,60


MOUNTING



accessories	item	Euro
fixation clamp - 12 set, 2 pieces	987006	3,00




specifi cally and ideally suited as a illuminated kitchen wallboards | restriction lighting | indirect lighting | accent lighting | wall | ceiling



PROFILE AV-03-12

material color	item	Euro
1,25m aluminum anodized	970430	18,00
2,50m aluminum anodized	970431	36,00
3,00m aluminum anodized	970434	43,20
1,00m mat white	970436	14,00
2,00m mat white	970437	32,00
3,00m mat white	970438	48,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

P-01-12					E-01-12					R-01-12				
form	length	transmission	item-no.	Euro	form	length	transmission	item-no.	Euro	form	length	transmission	item-no.	Euro
plan	1m	40% milky	983064	5,80	corner	1m	75% mat	985564	8,50	roand	1m	95% clear	984564	7,20
plan	2m	40% milky	983065	11,60	corner	2m	75% mat	985565	17,00	roand	2m	95% clear	984565	14,40
plan	3m	40% milky	983068	17,40	corner	3m	75% mat	985568	25,50	roand	3m	95% clear	984568	21,60

END CAPS | set, 2 pieces



form	color	item	Euro	form	color	item	Euro	form	color	item	Euro
plan	grey	978321	3,60	corner	grey	980541	3,60	roand	grey	979751	3,60


MOUNTING



accessories	item	Euro	accessories	item	Euro	accessories	item	Euro
double-sided tape with foam carrier for profiles W x L: 25 mm x 33 m	930350	31,00	set includes each 10 pieces 6 x 35 nylon dowels, 45 x 45 stainless steel screws	930111	7,00	mounting glue white 310 ml cartridge bond + seal power	930105	34,00




special and ideal for stairs | hotel | restaurant | public buildings | fairs | discotheques



PROFILE AL-01-10

material color	item	Euro
1,00m aluminum anodized	 970500	24,00
1,50m aluminum anodized	 970501	36,00
2,00m aluminum anodized	 970503	48,00
3,00m aluminum anodized	 970502	72,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)

 P-01-10 | walkable

form	length	transmission	item-no.	Euro
plan	1m	40% milky	983080	9,00
plan	2m	40% milky	983081	18,00
plan	3m	40% milky	983082	27,00

END CAPS | set, 2 pieces | left | right



form	color	item	Euro
plan	grey	978191	3,60



MOUNTING



accessories	item	Euro	accessories	item	Euro
set includes each 10 pieces 6 x 35 nylon dowels, 45 x 45 stainless steel screws	930111	7,00	mounting glue white 310 ml cartridge bond + seal power	930105	34,00




special and ideal for stairs | hotel | restaurant | public buildings | fairs | discotheques



PROFILE AL-02-10

material color	item	Euro
1,00m aluminum anodized	 970520	24,00
1,50m aluminum anodized	 970521	36,00
2,00m aluminum anodized	 970523	48,00
3,00m aluminum anodized	 970522	72,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)



P-01-10

form	length	transmission	item-no.	Euro
plan	1m	40% milky	983014	5,80
plan	2m	40% milky	983015	11,60
plan	3m	40% milky	983018	17,40

form	length	transmission	item-no.	Euro
plan	1m	75% mat	983012	5,80
plan	2m	75% mat	983013	11,60
plan	3m	75% mat	983017	17,40

form	length	transmission	item-no.	Euro
plan	1m	95% clear	983010	5,80
plan	2m	95% clear	983011	11,60
plan	3m	95% clear	983016	17,40



P-03-10 | material: PC (Polycarbonat)

form	length	transmission	item	Euro
plan	2m	40% milky	983083	11,60
plan	3m	40% milky	983084	17,40

END CAPS | set, 2 pieces | left | right



form	color	item	Euro
plan	grey	978201	3,60

MOUNTING




accessories	item	Euro
set includes each 10 pieces 6 x 35 nylon dowels, 45 x 45 stainless steel screws	930111	7,00

accessories	item	Euro
mounting glue white 310 ml cartridge bond + seal power	930105	34,00




special and ideal for lighting of base cabinet | shelves | furniture | kitchen | fairs



PROFILE AM-01-10

material color	item	Euro
1m aluminum anodized	 970300	14,00
2m aluminum anodized	 970301	28,00
3m aluminum anodized	 970308	42,00
1m mat black brushed	 970302	17,00
2m mat black brushed	 970303	34,00
1m mat white	 970304	17,00
2m mat white	 970305	34,00
1m aluminum brushed	 970306	17,00
2m aluminum brushed	 970307	34,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)



form	length	transmission	item-no.	Euro
plan	1m	40% milky	983014	5,80
plan	2m	40% milky	983015	11,60
plan	3m	40% milky	983018	17,40

form	length	transmission	item-no.	Euro
plan	1m	75% mat	983012	5,80
plan	2m	75% mat	983013	11,60
plan	3m	75% mat	983017	17,40

form	length	transmission	item-no.	Euro
plan	1m	95% clear	983010	5,80
plan	2m	95% clear	983011	11,60
plan	3m	95% clear	983016	17,40



form	length	transmission	item-no.	Euro
flat	1m	40% milky	983514	5,80
flat	2m	40% milky	983515	11,60
flat	3m	40% milky	983518	17,40

form	length	transmission	item-no.	Euro
flat	1m	75% mat	983512	5,80
flat	2m	75% mat	983513	11,60
flat	3m	75% mat	983517	17,40

form	length	transmission	item-no.	Euro
flat	1m	95% clear	983510	5,80
flat	2m	95% clear	983511	11,60
flat	3m	95% clear	983516	17,40

END CAPS | set, 2 pieces




form	color	item	Euro
flat	grey	978701	3,60
flat	black	978702	3,60
flat	white	978700	3,60




MOUNTING

accessories	item	Euro
set includes each 10 pieces 6 x 35 nylon dowels, 45 x 45 stainless steel screws	930111	7,00

accessories	item	Euro
mounting glue white 310 ml cartridge bond + seal power	930105	34,00




special and ideal for | hotel | restaurant | public buildings | fairs | discotheques



PROFILE AM-02-10

material color	item	Euro
2m aluminum anodized	970602	64,00
3m aluminum anodized	970600	96,00
3m mat black brushed	970601	116,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER | material: PMMA (Polymethylmethacrylat)



P-01-10

form	length	transmission	item-no.	Euro
plan	1m	40% milky	983014	5,80
plan	2m	40% milky	983015	11,60
plan	3m	40% milky	983018	17,40

form	length	transmission	item-no.	Euro
plan	1m	75% mat	983012	5,80
plan	2m	75% mat	983013	11,60
plan	3m	75% mat	983017	17,40

form	length	transmission	item-no.	Euro
plan	1m	95% clear	983010	5,80
plan	2m	95% clear	983011	11,60
plan	3m	95% clear	983016	17,40

END CAPS | set, 2 pieces



form	color	item	Euro
flat	grey	978241	3,60
flat	black	978742	3,60



P-03-10 | material: PC (Polycarbonat)

form	length	Transmiss.	item	Euro
plan	2m	40% milky	983083	11,60
plan	3m	40% milky	983084	17,40

MOUNTING



accessories	item	Euro
set includes each 10 pieces 6 x 35 nylon dowels, 45 x 45 stainless steel screws	930111	7,00

accessories	item	Euro
mounting glue white 310 ml cartridge bond + seal power	930105	34,00




Not only visually a highlight but also a real little space wonder. With two integrated cable ducts for one max. 12mm cable.




For all common cables with
a max. Ø of 12m



Suitable for power cables




Suitable for data cables



In combination, always
use shielded cables


fl oors | baths | balcony | terrace | building facades | light line marking pools | indirect lighting | accent lighting | architecture



PROFILE **AU-04-12**

material color	item	Euro
1,00m aluminum anodized	 970722	8,80
1,25m aluminum anodized	 970720	11,00
2,00m aluminum anodized	 970723	17,60
2,50m aluminum anodized	 970721	22,00
3,00m aluminum anodized	 970724	26,40

service package	item	price
paint in desired color to RAL	989900	on request



COVER **walkable** | material: PC (Polycarbonat)

length transmission	item	Euro
1m 40% milky	988024	7,20
2m 40% milky	988025	14,40
3m 40% milky	988028	21,60

END CAPS | set, 2 pieces

form	color	item	Euro
 plan	grey	981001	3,60

MOUNTING




accessories	item	Euro
natural stone sealant 310 ml cartridge transparent for gluing the cover	930104	38,00

accessories	item	Euro
sealant smoothing agent 400ml can for clean removal of the sealant	930103	38,00

accessories	item	Euro
mounting glue 310ml-cartridge white bond + seal power	930105	34,00




fl oors | baths | balcony | terrace | building facades | light line marking pools | indirect lighting | accent lighting | architecture



PROFILE ET-05-12

material color	item	Euro
1,00m aluminum anodized	 975722	9,60
1,25m aluminum anodized	 975720	12,00
2,00m aluminum anodized	 975723	19,20
2,50m aluminum anodized	 975721	24,00
3,00m aluminum anodized	 970724	26,40

service package	item	price
paint in desired color to RAL	989900	on request



COVER **walkable** | material: PC (Polycarbonat)

length transmission	item	Euro
1m 40% milky	988024	7,20
2m 40% milky	988025	14,40
3m 40% milky	988028	21,60

END CAPS | set, 2 pieces

form	color	item	Euro
 plan	grey	981011	3,60

MOUNTING




accessories	item	Euro
natureal stone sealant 310 ml cartridge transparent for gluing the cover	930104	38,00

accessories	item	Euro
sealant smoothing agent 400ml can for clean removal of the sealant	930103	38,00

accessories	item	Euro
mounting glue 310ml-cartridge white bond + seal power	930105	34,00



fl oors | baths | balcony | terrace | building facades | light line marking pools | indirect lighting | accent lighting | architecture




PROFILE **AU-05-15**

material color	item	Euro
1m aluminum nature	970740	17,00
2m aluminum nature	970741	34,00

mounting support profile	item	Euro
1m aluminum nature	970764	5,50

service package	item	price
paint in desired color to RAL	989900	on request



COVER **walkable** | material: PC (Polycarbonat)

length transmission	item	Euro
1m 40% milky	988084	8,50
2m 40% milky	988085	17,00

END CAPS | set, 2 pieces

form	color	item	Euro
plan	grey	981031	3,60



MOUNTING



accessories	item	Euro
natural stone sealant 310 ml cartridge transparent for gluing the cover	930104	38,00




accessories	item	Euro
sealant smoothing agent 400ml can for clean removal of the sealant	930103	38,00



accessories	item	Euro
mounting glue 310ml-cartridge white bond + seal power	930105	34,00



floors | baths | balcony | terrace | building facades | light line marking pools | indirect lighting | accent lighting | architecture




PROFILE ET-05-15

material color	item	Euro
1m aluminum nature	 975740	19,00
2m aluminum nature	 975741	38,00

mounting support profile	item	Euro
1m aluminum nature	 970764	5,50

service package	item	price
paint in desired color to RAL	989900	on request



COVER **walkable** | material: PC (Polycarbonat)

length transmission	item	Euro
1m 40% milky	988084	8,50
2m 40% milky	988085	17,00

END CAPS | set, 2 pieces



form	color	item	Euro
plan	grey	981041	3,60

MOUNTING




accessories	item	Euro	accessories	item	Euro	accessories	item	Euro
natureal stone sealant 310 ml cartridge transparent for gluing the cover	930104	38,00	sealant smoothing agent 400ml can for clean removal of the sealant	930103	38,00	mounting glue 310ml-cartridge white bond + seal power	930105	34,00



With the kind support of LED-TEC/Girlan (BZ)



fl oors | baths | balcony | terrace | building facades | light line marking pools | indirect lighting | accent lighting | architecture




PROFILE EU-01-12

material color	item	Euro
1m aluminum nature	975780	32,00
2m aluminum nature	975781	64,00

material color	item	Euro
1,25m aluminum nature	970762	5,00

service package	item	price
paint in desired color to RAL	989900	on request



COVER passable | material: PC (Polycarbonat)

I-02-12

length transmission	item	Euro
1m 40% milky	988054	8,50
2m 40% milky	988055	17,00


END CAPS | set, 2 pieces

form	color	item	Euro
plan	grey	981021	3,60



MOUNTING

accessories	item	Euro
foam carrier (to max. 3 ton)	990095	7,00



accessories	item	Euro
natural stone sealant 310 ml cartridge transparent for gluing the cover	930104	38,00



accessories	item	Euro
sealant smoothing agent 400ml can for clean removal of the sealant	930103	38,00



accessories	item	Euro
mounting glue 310ml-cartridge white bond + seal power	930105	34,00





Caution! Please consider before mounting:

For an optimum and durable result, please consider the climate and weather effects before remounting.

Impact of sun:

Please consider the solar run before mounting. Permanent and intensive sun rays may damages the LED strip - also in switch-off condition. Each material expands and contracts again. Please remount the profiles under consideration of the temperature oscillations and the derived expansion coefficients. Beware that the materials such as Aluminum, PMMA, PC and Macrolon [Profiles/Covers] can expand significantly at temperature variations, which has an impact on the sealing. **This is not a product defect but a normal physical process.**

Impact of water and frost:

Please check before mounting that after the assembly of the profile in rainy weather, no standing water is formed. Strong condensation water may form in case of inadequate machining and different temperatures. Water may also penetrate due to capillary effects. Standing or penetrating water or humidity may have a great impact on the sealing during frost and damage the LED stripe. We recommend that for the predection of the LED stripes you pour the profile half empty or fully empty [according to the stress and usage].

Please be aware that we do not hold any liability for the machining or processing on your side, such as sealing positioning and application.

MOUNTING INSTRUCTION

- 1 for an optimal work surface the profile must be grease- and dust-free
- 2 For glueing place the LED stripe on one side and press carefully in vertical direction part by part
- 3 Once the LED stripes have been installed, the cover is glued
- 4 Apply a continuous regular layer of nature stone sealant/silicon transparently on the complete surface of the profile until
- 5 a continuous closed adhering surface is provided. The sealant must not present any open spaces.
- 6 Insert the conical cover loosely with the narrow side downwards smoothly into the profile
- 7 Press at one side on the cover with uniform regular vertical movements part by part
- 8 The cover must be flush with the profile start and end.
- 9 Conduct the connection cable by the end cap [a bore is made manually in the end cap]
- 10 For the sealing of the profile at the front sides, apply sealant around the end cap into the cable duct
- 11 Slide the end cap smoothly onto the profile
- 12 Remove all residual material/sealant and clean the surface
- 13 Repeat this procedure for the second end cap [Sealant can be applied on the end cap or on the profile with cover]
- 14 Slide the end cap on until it is completely inserted
- 15 Remove all residual material/sealant and clean the surface
- 16 After a correct and careful machining, always perform a function test before remounting to check whether the predection class up to IP65 was reached



The IP67 LED profile luminaire in warm-white, RGB + warm white is a ready-made LED profile for a simple mounting (rails must not be sealed at the own worksite).

- » Set consists of: Aluminium profile, built-in LED Stripe, cover, end caps and connection cable (approx.1 m) incl. WEIPU plug
- » Cast profile according to protection class IP67
- » Switching power supply and controller are required separately
- » Fit for wall and floor mounting (fit for traffic), up to max.1 ton (for a greater load we recommend our customised foam base as a damping means - Item 990095)

SAMPLE APPLICATIONS

- » Mounting in cobble stone paths (entries, parking areas, etc.)
- » Light line marking, swimming pools, civil engineering, building façades, accent lighting, decorative lighting

LED PROFILE LAMP IP67 WW

Incl. 1m connection cable with Weipu plug

730451	1m	warm white		119,00 €
730452	2m	warm white		199,00 €

Operating voltage	24V DC
Output	5,3W 18W
LEDs	96 192
IP Class	IP 67
material	aluminum
Colour temperature Lumen	3000K 190 lm 340 lm
LED Type	SMD 3528
Dispersion behaviour LED	100°
Connection Stripe	2 cable (V-, V+)
Energy efficiency class	A
Dimensions	1000 x 27 x 30 mm 2000 x 27 x 30 mm

LED PROFILE LAMP IP67 RGB + WW

Incl. 1m connection cable with Weipu plug

730453	1m	RGB + warm white		169,00 €
730456	2m	RGB + warm white		249,00 €

Operating voltage	24V DC
Output	22W 42W
LEDs	196 384
IP Class	IP 67
material	aluminum
LED Type	SMD 3528
Dispersion behaviour LED	100°
Connection Stripe	5 cable (R, G, B, W, V+)
Energy efficiency class	A
Dimensions	1000 x 27 x 30 mm 2000 x 27 x 30 mm

SAMPLE APPLICATIONS

- » LED stripe ready for mounting
- » simple handling and quick rail assembly
- » homogeneous illumination by recessed LED stripes
- » good heat dissipation,
- » simple mounting, easy
- » environment-friendly
- » No glare by the installed 40% cover



FEEDING CABLE

2-pole


730302	black	1m	14,00 €
730303	black	3m	19,00 €
730304	black	5m	25,00 €
730305	black	10m	39,00 €



DISTRIBUTOR

connection cable 30 cm | * 100 cm | 2 outlets
dimensions L x W x H: 57 x 57 x 38 mm

730300	black	2-pole	55,00 €
940010*	black	5-pole	55,00 €



990095 **foam carrier** **7,00 €**
L: 126 x W: 2,6 x H: 3,0 cm
Can be driven up to max. 1 ton. At higher loads we recommend our foam carrier.

FEEDING CABLE

5-pole

940002	black	1m	28,00 €
940003	black	3m	37,00 €
940004	black	5m	43,00 €
940005	black	10m	65,00 €



CONNECTION CABLE

2-pole

730310	black	1m	25,00 €
730311	black	3m	30,00 €
730312	black	5m	49,00 €
730313	black	10m	59,00 €



CONNECTION CABLE

5-pole

940006	black	1m	46,00 €
940007	black	3m	53,00 €
940008	black	5m	66,00 €
940009	black	10m	85,00 €






987002 fixation clamp - 08:
set, 2 pieces **3,00 €**




987004 fixation clamp - 10:
set, 2 pieces **3,00 €**



987006 fixation clamp - 12:
set, 2 pieces **3,00 €**



987008 fixation clamp - 15:
set, 2 pieces **3,00 €**



987010 fixation clamp - 20:
set, 2 pieces **3,00 €**



987080 universal mounting clip
(swiveling)
set, 2 pieces **20,00 €**



930111 set includes each 10 pieces
6 x 35 nylon dowels
4,5 x 45 stainless
steel screws **7,00 €**



double-sided tape
with foam carrier for profiles
930346 W x L: 8 mm x 33 m **14,00 €**
930347 W x L: 12 mm x 33 m **15,00 €**
930348 W x L: 15 mm x 33 m **19,00 €**
930349 W x L: 20 mm x 33 m **25,00 €**
930350 W x L: 25 mm x 33 m **31,00 €**



930105 mounting glue
310ml cartridge | white
bond + seal power **34,00 €**




930104 natureal stone sealant
310ml cartridge | transparent
for gluing the cover **38,00 €**



930103 Dichtstoffglättemittel
400ml can
for clean removal
of the sealant **38,00 €**



987060 wire suspension | swiveling
2m wire | set, 2 pieces **30,00 €**



987040 universal sliding block
with springs
set, 2 pieces **6,00 €**



987020 universal sliding block/
straight connector
set, 2 pieces **6,00 €**



930107 SAMPLE CASE **149,00 €**
L x W x H: 43,6 x 30,6 x 20,5 cm
45 profiles
19 cover
4 color samples
2 LED-carrier profiles
1 mounting profile

LED STRIPES & CO

LED strips and modular systems or LED complete sets are ideal for indirect and effective lighting. Static single or multiple colour light accents can be defined. Changing lighting atmospheres are permanently programmable or ,controlled via remote control and mobile devices.



TECHNICAL INFORMATION

LIGHT COLOR | TEMPERATURE

The color temperature indicates how hot or cold the effect of a white lamp is. This is measured in Kelvin (K) units. The smaller the Kelvin value, the hotter the light. The light of a customary light bulb corresponds to approx. 2700 K. The higher the Kelvin value, the colder and bluer the light. In comparison, daylight is estimated at approx. 7000K. Kelvin defines fundamentally a temperature. This means the temperature that an object must have (e.g. glowing coal), so that the light of it provides the same color impression as the light source.

1°C = 274K | 2700°C = 2973K



LEDs are the ideal basis for **creative ideas in light implementations**. Light diodes are modern semi-conductor components which are also called „**Light-emitting diodes**“. They consist of **mixed crystal semi-conductors**, such as gallium arsenide (GaAs), gallium arsenide phosphide (GaAsP), palium phosphide (GaP). Power **is supplied to the LED (module) via appropriate LED power supply units with safety extra-low voltage (SELV)**. Light diodes convert this electrical energy into light energy. **RGB** stands for the colors **red - green - blue** (wave length 430-655 nm). These 3 base colors form the basis for almost all colors. **If red, blue and green have a 100% luminosity setting, you obtain white**. Modern RGB light diodes unite the three red, green and blue **colors in a chip housing**, the so-called**3 in1 LED RGB**.

LIGHTSOURCE COLOR TEMPERATURE

Spark plug	1500 K
Filament lamp (40W)	680 K
Filament lamp (100W)	2800 K
Halogen lamp	3000 K
Fluorescent lamp (warm white)	3000 K
Fluorescent lamp (cold white)	4000 K
Xenon lamp Arc	4500 - 5000 K
Midday sun	5500 - 5800 K
Fluorescent lamp (daylight)	5600 - 7000 K
Clouded sky	6500 - 7500 K
Blue sky	8000 - 12000 K


ADVANTAGES OF LED TECHNOLOGY:

- » High service life and low maintenance costs
- » Low energy costs
- » Vibration and impact-free
- » Small design
- » IR/UV-free light, thus no heat radiation
- » Environment-friendly

MULTIPLE APPLICATIONOPTIONS:

- » Direct & indirect illumination for room design
- » Back-lighting of promotional literature, showcases, etc.
- » Architectural lighting/object illumination
- » Implementations in indoor and outdoor area

HOMOGENEOUS PHOTOGRAPH



How to obtain a homogeneous photograph

A homogeneous photograph is obtained in connection with a milky | 40% cover with a matching LED Stripe. The [Pixel-Pitch] distance between the LEDs and the cover is decisive.

The following rule of thumb applies:

The distance between the LED should be smaller than the distance between the LEDs to the cover.

We offer a wide assortment of most diverse LED Stripes, which have also a distinct Pixel-Pitch.

conventional LED Stripe Pixel-Pitch 33 mm




conventional LED Stripe Pixel-Pitch 16.7 mm



conventional LED Stripe Pixel-Pitch 4 mm



sideview in double LED Stripe Pixel-Pitch moved 8.4 mm



WW | NW | CW



example in warm white

SIDEVIEW IN DOUBLE LED-STRIPLE



example in warm white



example in neutral white




example in cold white

1 CHANNEL

The most simple and most favourable stripe variant is determined according to its colour. The light is dimmable by the selection of the respective controller or power supply.

SIDEVIEW IN DOUBLE LED-STRIPLE



- operating voltage12V DC
- LED rows2
- number of channels1
- LED-TypeSMD 335
- Ra>80
- radiation LED120°
- mountingadhesive tape on back
- connection stripe2 cable (V-, V+)
- working temperature-15° to + 50° C
- cutting possibilityafter 50 mm | 6 LED



item		color temperature	LED's	power	dim. (L x W x H)	Lumen Stripe	Lumen Meter	IP	EEK*	Euro
840023	WW	2700 K (+/- 150 K)	360	22,00 W	3000 x 9 x 2 mm	1400 lm	466 lm	20	A	169,00
840024	NW	4200 K (+/- 150 K)	360	22,00 W	3000 x 9 x 2 mm	1300 lm	433 lm	20	A	169,00
840025	CW	6500 K (+/- 150 K)	360	22,00 W	3000 x 9 x 2 mm	1400 lm	466 lm	20	A	169,00

FLEXIBLE LED-STRIPLE

- operating voltage24V DC
- LED rows1
- number of channels1
- LED-TypeSMD 3528
- Ra>90
- radiation LED120°
- mountingadhesive tape on back
- connection stripe2 cable (V-, V+)
- working temperature-15° to + 50° C
- cutting possibilityafter 50 mm | 6 LED



item		color temperature	LED's	power	dim. (L x W x H)	Lumen Stripe	Lumen Meter	IP	EEK*	Euro
840154	WW	2700 K (+/- 150 K)	360	30,00 W	3000 x 5 x 3 mm	1900 lm	633 lm	20	A	59,00
840155	WW	3000 K (+/- 150 K)	360	30,00 W	3000 x 5 x 3 mm	2000 lm	666 lm	20	A	59,00
840156	NW	4200 K (+/- 150 K)	360	30,00 W	3000 x 5 x 3 mm	2000 lm	666 lm	20	A	59,00
840157	CW	6200 K (+/- 150 K)	360	30,00 W	3000 x 5 x 3 mm	2000 lm	666 lm	20	A	59,00
840158	WW	2700 K (+/- 150 K)	600	46,00 W	5000 x 5 x 3 mm	2800 lm	560 lm	20	A	99,00
840159	WW	3000 K (+/- 150 K)	600	46,00 W	5000 x 5 x 3 mm	3000 lm	600 lm	20	A	99,00
840160	NW	4200 K (+/- 150 K)	600	46,00 W	5000 x 5 x 3 mm	3000 lm	600 lm	20	A	99,00
840161	CW	6200 K (+/- 150 K)	600	46,00 W	5000 x 5 x 3 mm	3000 lm	600 lm	20	A	99,00



LED-STRIBE | white with 10 color temperatures

- operating voltage

LED rows

number of channels

LED-Type

Ra

radiation LED

mounting

connection stripe

working temperature

cutting possibility
- 24V DC

1

1

SMD 2835

>90


120°

adhesive tape on back

2 cable (V-, V+)

-15° to + 50° C

after 100 mm | 6 LED




item		color temperature	LED's	power	dim. (L x W x H)	Lumen Stripe	Lumen Meter	IP	EEK*	Euro
840131	ww	2300 K	300	40,00 W	5000 x 8 x 3 mm	3000 lm	600 lm	20	A	129,00
840132	ww	2500 K	300	40,00 W	5000 x 8 x 3 mm	3100 lm	620 lm	20	A	129,00
840133	ww	2700 K	300	40,00 W	5000 x 8 x 3 mm	3200 lm	640 lm	20	A	129,00
840134	ww	2900 K	300	40,00 W	5000 x 8 x 3 mm	3100 lm	620 lm	20	A	129,00
840135	ww	3100 K	300	40,00 W	5000 x 8 x 3 mm	3400 lm	680 lm	20	A	129,00
840136	nw	4000 K	300	40,00 W	5000 x 8 x 3 mm	3500 lm	700 lm	20	A+	129,00
840137	nw	4200 K	300	40,00 W	5000 x 8 x 3 mm	3600 lm	720 lm	20	A+	129,00
840138	nw	4400 K	300	40,00 W	5000 x 8 x 3 mm	3600 lm	720 lm	20	A+	129,00
840139	cw	5700 K	300	40,00 W	5000 x 8 x 3 mm	3450 lm	690 lm	20	A	129,00
840140	cw	6300 K	300	40,00 W	5000 x 8 x 3 mm	3650 lm	730 lm	20	A+	129,00



FLEXIBLE LED-STRIBE

- operating voltage12V DC
- LED rows1
- number of channels1
- LED-TypeSMD 3528
- radiation LED120°
- mountingadhesive tape on back
- connection stripe2 cable (V-, V+)
- working temperature-15° to + 50° C
- cutting possibilityafter 25 mm | 3 LED




item		color temperature	LED's	power	dim. (L x W x H)	Lumen Stripe	Lumen Meter	IP	EEK*	Euro
840022	ww	2700 K (+/- 150 K)	360	26,00 W	3000 x 8 x 3 mm	1700 lm	566 lm	20	A	59,00
840035	ww	3000 K (+/- 150 K)	360	26,00 W	3000 x 8 x 3 mm	1600 lm	533 lm	20	A	59,00
840163	nw	4000 K (+/- 150 K)	360	26,00 W	3000 x 8 x 3 mm	1700 lm	566 lm	20	A	59,00
840036	cw	6500 K (+/- 150 K)	360	28,80 W	3000 x 8 x 3 mm	1900 lm	633 lm	20	A	59,00
840164	ww	2700 K (+/- 150 K)	600	36,00 W	5000 x 8 x 3 mm	2250 lm	450 lm	20	A	99,00
840165	ww	3000 K (+/- 150 K)	600	36,00 W	5000 x 8 x 3 mm	2300 lm	460 lm	20	A	99,00
840166	nw	4000 K (+/- 150 K)	600	36,00 W	5000 x 8 x 3 mm	2400 lm	480 lm	20	A	99,00
840167	cw	6500 K (+/- 150 K)	600	36,00 W	5000 x 8 x 3 mm	2400 lm	480 lm	20	A	99,00



FLEXIBLE LED-STRIBE

- operating voltage24V DC
- LED rows1
- number of channels1
- LED-TypeSMD 3528
- Ra>90
- radiation LED120°
- mountingadhesive tape on back
- connection stripe2 cable (V-, V+)
- working temperature-15° to + 50° C
- cutting possibilityafter 33,4 mm | 6 LED



item		color temperature	LED's	power	dim. (L x W x H)	Lumen Stripe	Lumen Meter	IP	EEK*	Euro
840176	ww	2700 K (+/- 150 K)	540	45,00 W	3000 x 8 x 3 mm	3100 lm	1033 lm	20	A	89,00
840037	ww	3000 K (+/- 150 K)	540	43,00 W	3000 x 8 x 3 mm	3550 lm	1183 lm	20	A	89,00
840177	nw	4000 K (+/- 150 K)	540	45,00 W	3000 x 8 x 3 mm	3200 lm	1066 lm	20	A	89,00
840038	cw	6000 K (+/- 150 K)	540	43,00 W	3000 x 8 x 3 mm	3550 lm	1183 lm	20	A	89,00
840178	ww	2700 K (+/- 150 K)	900	75,00 W	5000 x 8 x 3 mm	4600 lm	920 lm	20	A	149,00
840179	ww	3000 K (+/- 150 K)	900	75,00 W	5000 x 8 x 3 mm	4850 lm	970 lm	20	A	149,00
840180	nw	4000 K (+/- 150 K)	900	75,00 W	5000 x 8 x 3 mm	4900 lm	980 lm	20	A	149,00
840181	cw	6200 K (+/- 150 K)	900	75,00 W	5000 x 8 x 3 mm	4800 lm	960 lm	20	A	149,00



With the kind support of SH-Lichttechnik / Becks Reutlingen

FLEXIBLE LED-STRIPLE

- operating voltage

LED rows

number of channels

LED-Type

Ra

radiation LED

mounting

connection stripe

working temperature

cutting possibility
- 24V DC

1

1

SMD 2835

>90


120°

adhesive tape on back

2 cable (V-, V+)

-15° to + 50° C

after 50 mm | 6 LED



FLEXIBLE LED-STRIPLE

- operating voltage

LED rows

number of channels

LED-Type

Ra

radiation LED

mounting

connection stripe

working temperature

cutting possibility
- 24V DC

1

1

SMD 3528

>90

120°

adhesive tape on back

2 cable (V-, V+)

-15° to + 50° C

after 25 mm | 6 LED



item		color temperature	LED's	power	dim. (L x W x H)	Lumen Stripe	Lumen Meter	IP	EEK*	Euro
840203	ww	2700 K (+/- 150 K)	360	72,00 W	3000 x 10 x 2 mm	4300 lm	1433 lm	20	A	119,00
840204	ww	3000 K (+/- 150 K)	360	72,00 W	3000 x 10 x 2 mm	4300 lm	1433 lm	20	A	119,00
840205	nw	4200 K (+/- 150 K)	360	72,00 W	3000 x 10 x 2 mm	4450 lm	1483 lm	20	A	119,00
840206	cw	6500 K (+/- 150 K)	360	72,00 W	3000 x 10 x 2 mm	4450 lm	1483 lm	20	A	119,00
840207	ww	2700 K (+/- 150 K)	600	100,00 W	5000 x 10 x 2 mm	6500 lm	1300 lm	20	A	199,00
840122	ww	3000 K (+/- 150 K)	600	100,00 W	5000 x 10 x 2 mm	6900 lm	1380 lm	20	A	199,00
840123	nw	4000 K (+/- 150 K)	600	100,00 W	5000 x 10 x 2 mm	7300 lm	1460 lm	20	A	199,00
840124	cw	6000 K (+/- 150 K)	600	100,00 W	5000 x 10 x 2 mm	7800 lm	1560 lm	20	A	199,00

item		color temperature	LED's	power	dim. (L x W x H)	Lumen Stripe	Lumen Meter	IP	EEK*	Euro
840190	ww	2700 K (+/- 150 K)	720	55,00 W	3000 x 10 x 3 mm	3700 lm	1233 lm	20	A	119,00
312321	ww	3000 K (+/- 150 K)	720	55,00 W	3000 x 10 x 3 mm	4000 lm	1333 lm	20	A	119,00
840191	nw	4200 K (+/- 150 K)	720	55,00 W	3000 x 10 x 3 mm	4000 lm	1333 lm	20	A	119,00
312322	cw	6500 K (+/- 150 K)	720	55,00 W	3000 x 10 x 3 mm	4000 lm	1333 lm	20	A	119,00
840192	ww	2700 K (+/- 150 K)	1200	90,00 W	5000 x 10 x 3 mm	5700 lm	1140 lm	20	A	199,00
840193	ww	3000 K (+/- 150 K)	1200	90,00 W	5000 x 10 x 3 mm	6200 lm	1240 lm	20	A	199,00
840194	nw	4000 K (+/- 150 K)	1200	90,00 W	5000 x 10 x 3 mm	6300 lm	1260 lm	20	A	199,00
840195	cw	6000 K (+/- 150 K)	1200	90,00 W	5000 x 10 x 3 mm	6400 lm	1280 lm	20	A	199,00


FLEXIBLE LED-STRIFE | IP 44

operating voltage	12V DC
LED rows	1
number of channels	1
LED-Type	SMD 3528
Ra	>90
radiation LED	120°
mounting	adhesive tape on back
connection stripe	2 cable (V-, V+)
working temperature	-15° to + 50° C
cutting possibility	after 25 mm 3 LED



NANO Coating [LotUS effect]
Water rolls off and takes all dirty surface particles with it.

item		color temperature	LED's	power	dim. (L x W x H)	Lumen Stripe	Lumen Meter	IP	EEK*	Euro
840168	WW	2700 K (+/- 150 K)	600	36,00 W	5000 x 8 x 3 mm	2250 lm	450 lm	44	A	139,00
840169	WW	3000 K (+/- 150 K)	600	36,00 W	5000 x 8 x 3 mm	2300 lm	460 lm	44	A	139,00
840170	NW	4000 K (+/- 150 K)	600	36,00 W	5000 x 8 x 3 mm	2400 lm	480 lm	44	A	139,00
840171	CW	6500 K (+/- 150 K)	600	36,00 W	5000 x 8 x 3 mm	2400 lm	480 lm	44	A	139,00



FLEXIBLE LED-STRIFE | IP 44

operating voltage	24V DC
LED rows	1
number of channels	1
LED-Type	SMD 3528
Ra	>90
radiation LED	120°
mounting	adhesive tape on back
connection stripe	2 cable (V-, V+)
working temperature	-15° to + 50° C
cutting possibility	after 33,4 mm 6 LED



NANO Coating [LotUS effect]
Water rolls off and takes all dirty surface particles with it.

item		color temperature	LED's	power	dim. (L x W x H)	Lumen Stripe	Lumen Meter	IP	EEK*	Euro
840182	WW	2700 K (+/- 150 K)	900	75,00 W	5000 x 8 x 3 mm	4650 lm	930 lm	44	A	179,00
840183	WW	3000 K (+/- 150 K)	900	75,00 W	5000 x 8 x 3 mm	5050 lm	1010 lm	44	A	179,00
840184	NW	4000 K (+/- 150 K)	900	75,00 W	5000 x 8 x 3 mm	4900 lm	980 lm	44	A	179,00
840185	CW	6200 K (+/- 150 K)	900	75,00 W	5000 x 8 x 3 mm	4800 lm	960 lm	44	A	179,00



FLEXIBLE LED-STRIFE | IP 67


operating voltage	12V DC
LED rows	1
number of channels	1
LED-Type	SMD 3528
Ra	>90
radiation LED	120°
mounting	incl. mountingset
connection stripe	2 cable (V-, V+)
working temperature	-15° to + 50° C
cutting possibility	after 25 mm 3 LED



item		color temperature	LED's	power	dim. (L x W x H)	Lumen Stripe	Lumen Meter	IP	EEK*	Euro
840172	WW	2700 K (+/- 150 K)	600	32,00 W	5000 x 11 x 4,4 mm	2050 lm	410 lm	67	A	159,00
840173	WW	3000 K (+/- 150 K)	600	32,00 W	5000 x 11 x 4,4 mm	2200 lm	440 lm	67	A	159,00
840174	NW	4000 K (+/- 150 K)	600	32,00 W	5000 x 11 x 4,4 mm	2200 lm	440 lm	67	A	159,00


FLEXIBLE LED-STRIFE | IP 67

operating voltage	24V DC
LED rows	1
number of channels	1
LED-Type	SMD 3528
Ra	>90
radiation LED	120°
mounting	incl. mountingset
connection stripe	2 cable (V-, V+)
working temperature	-15° to + 50° C
cutting possibility	after 33,4 mm 6 LED




item		color temperature	LED's	power	dim. (L x W x H)	Lumen Stripe	Lumen Meter	IP	EEK*	Euro
840186	WW	2700 K (+/- 150 K)	900	55,00 W	5000 x 11 x 4,4 mm	3600 lm	720 lm	67	A	199,00
840187	WW	3000 K (+/- 150 K)	900	55,00 W	5000 x 11 x 4,4 mm	3900 lm	780 lm	67	A	199,00
840188	NW	4200 K (+/- 150 K)	900	55,00 W	5000 x 11 x 4,4 mm	3900 lm	780 lm	67	A	199,00
840189	CW	6500 K (+/- 150 K)	900	55,00 W	5000 x 11 x 4,4 mm	3900 lm	780 lm	67	A	199,00


R | G | B



example in red




example in green




example in blue


RGB MIXED VARIANTS



example in red & blue



example in green & blue





example in red & green

3 CHANNEL

Along with base colours red, green and blue, 3 channel Stripes also offer all mixed colours in an additive colour scope.

FLEXIBLE LED-STRIFE



- operating voltage24V DC
- LED rows1
- number of channels3
- LED-TypeSMD 5050
- radiation LED120°
- mountingadhesive tape on back
- connection stripe4 cable (3x V-, V+)
- working temperature-15° to + 50° C
- cutting possibilityafter 100 mm | 6 LED




item		color temperature	LED's	power	dim. (L x W x H)	Lumen Stripe	Lumen Meter	IP	EEK*	Euro
840261	RGB	450 - 630 nm	180	42,00 W	3000 x 8 x 3 mm	1300 lm	433 lm	20	A	79,00
840262	RGB	450 - 630 nm	300	62,00 W	5000 x 8 x 3 mm	2000 lm	400 lm	20	A	129,00

FLEXIBLE LED-STRIFE

- operating voltage24V DC
- LED rows1
- number of channels3
- LED-TypeSMD 5050
- radiation LED120°
- mountingadhesive tape on back
- connection stripe4 cable (3x V-, V+)
- working temperature-15° to + 50° C
- cutting possibilityafter 62,5 mm | 6 LED



item		color temperature	LED's	power	dim. (L x W x H)	Lumen Stripe	Lumen Meter	IP	EEK*	Euro
840257	RGB	450 - 630 nm	288	60,00 W	3000 x 10 x 3 mm	2000 lm	666 lm	20	A	99,00
840147	RGB	450 - 630 nm	480	65,00 W	5000 x 10 x 2 mm	2600 lm	520 lm	20	A	169,00





FLEXIBLE LED-STRIPLE | IP44

- operating voltage24V DC
- LED rows1
- number of channels3
- LED-TypeSMD 5050
- radiation LED120°
- mountingadhesive tape on back
- connection stripe4 cable (3x V-, V+)
- working temperature-15° to + 50° C
- cutting possibilityafter 100 mm | 6 LED



NANO Coating [LotUS effect]
Water rolls off and takes all dirty surface particles with it.




item		color temperature	LED's	power	dim. (L x W x H)	Lumen Stripe	Lumen Meter	IP	EEK*	Euro
840263	RGB	450 - 630 nm	180	42,00 W	3000 x 8 x 3 mm	1300 lm	433 lm	44	A	99,00
840264	RGB	450 - 630 nm	300	62,00 W	5000 x 8 x 3 mm	2000 lm	400 lm	44	A	149,00

FLEXIBLE LED-STRIPLE | IP 44

- operating voltage24V DC
- LED rows1
- number of channels3
- LED-TypeSMD 5050
- radiation LED120°
- mountingadhesive tape on back
- connection stripe4 cable (3x V-, V+)
- working temperature-15° to + 50° C
- cutting possibilityafter 100 mm | 6 LED




NANO Coating [LotUS effect]
Water rolls off and takes all dirty surface particles with it.



item		color temperature	LED's	power	dim. (L x W x H)	Lumen Stripe	Lumen Meter	IP	EEK*	Euro
840255	RGB	450 - 630 nm	300	60,00 W	5000 x 10 x 3 mm	2000 lm	400 lm	44	A	149,00


FLEXIBLE LED-STRIPLE | IP67

- operating voltage24V DC
- LED rows1
- number of channels3
- LED-TypeSMD 5050
- radiation LED120°
- mountingincl. mountingset
- connection stripe4 cable (3x V-, V+)
- working temperature-15° to + 50° C
- cutting possibilityafter 62,5 mm | 6 LED




item		color temperature	LED's	power	dim. (L x W x H)	Lumen Stripe	Lumen Meter	IP	EEK*	Euro
840148	RGB	450 - 630 nm	480	65,00 W	5000 x 15 x 5,5 mm	2600 lm	520 lm	67	A	199,00


R | G | B | WW | NW | CW




example in red




example in warm white




example in red + blue



example in green




example in neutral white



example in green + blue



example in blue



example in cold white



4 CHANNEL

Whether a coloured light, daylight white or comfortable warm white - these strips do not only provide an RGB mixture but also add the white nuances.

RGBW MIXED VARIANTS

FLEXIBLE LED-STRIBE


operating voltage 24V DC
LED rows 1
number of channels 4
LED-Type SMD 5050
radiation LED 120°
mounting adhesive tape on back
connection stripe 5 cable (4x V-, V+)
working temperature -15° to + 50° C
cutting possibility after 100 mm | 6 LED



item		color temperature	LED's	power	dim. (L x W x H)	Lumen Stripe	Lumen Meter	IP	EEK*	Euro
840220	RGB WW	3000 K 450 - 630 nm	180	50,00 W	3000 x 10 x 3 mm	1800 lm	600 lm	20	A	85,00
840221	RGB NW	4200 K 450 - 630 nm	180	55,00 W	3000 x 10 x 3 mm	1900 lm	633 lm	20	A	85,00
840222	RGB CW	6200 K 450 - 630 nm	180	55,00 W	3000 x 10 x 3 mm	1900 lm	633 lm	20	A	85,00
840236	RGB WW	3000 K 450 - 630 nm	300	70,00 W	5000 x 10 x 3 mm	2900 lm	580 lm	20	A	139,00
840237	RGB NW	4000 K 450 - 630 nm	300	70,00 W	5000 x 10 x 3 mm	2950 lm	590 lm	20	A	139,00
840238	RGB CW	6200 K 450 - 630 nm	300	70,00 W	5000 x 10 x 3 mm	3000 lm	600 lm	20	A	139,00

FLEXIBLE LED-STRIBE

operating voltage 24V DC
LED rows 1
number of channels 4
LED-Type SMD 5050
Ra >90
radiation LED 120°
mounting adhesive tape on back
connection stripe 5 cable (4x V-, V+)
working temperature -15° to + 50° C
cutting possibility after 83,3 mm | 8 LED



item		color temperature	LED's	power	dim. (L x W x H)	Lumen Stripe	Lumen Meter	IP	EEK*	Euro
840213	RGB WW	3000 K 450 - 630 nm	288	80,00 W	3000 x 12 x 3 mm	2400 lm	800 lm	20	A	109,00
840214	RGB NW	4200 K 450 - 630 nm	288	80,00 W	3000 x 12 x 3 mm	2400 lm	800 lm	20	A	109,00
840215	RGB CW	6200 K 450 - 630 nm	288	80,00 W	3000 x 12 x 3 mm	2400 lm	800 lm	20	A	109,00
840144	RGB WW	3000 K 450 - 630 nm	480	65,00 W	5000 x 12 x 2 mm	2700 lm	540 lm	20	A	169,00
840216	RGB NW	4200 K 450 - 630 nm	480	115,00 W	5000 x 12 x 3 mm	3700 lm	740 lm	20	A	169,00
840217	RGB CW	6200 K 450 - 630 nm	480	115,00 W	5000 x 12 x 3 mm	3700 lm	740 lm	20	A	169,00



Loxone Lichtinstallation, (C) Euredec-ibiza&Fotoeichhorn.de



With the kind support of Gärten von Klein

FLEXIBLE LED-STRIP | IP67

- operating voltage

LED rows

number of channels

LED-Type

radiation LED

mounting

connection stripe

working temperature

cutting possibility
- 24V DC

1

4

SMD 5050


120°

incl. mountingset

5 cable (4x V-, V+)

-15° to + 50° C

after 100 mm | 6 LED



item		color temperature	LED's	power	dim. (L x W x H)	Lumen Stripe	Lumen Meter	IP	EEK*	Euro
840240	 	4200 K 450 - 630 nm	300	70,00 W	5000 x 12 x 4,5 mm	2600 lm	520 lm	67	A	169,00
840241	 	6200 K 450 - 630 nm	300	70,00 W	5000 x 12 x 4,5 mm	2400 lm	480 lm	67	A	169,00

FLEXIBLE LED-STRIP | IP67

- operating voltage

LED rows

number of channels

LED-Type

radiation LED

mounting

connection stripe

working temperature

cutting possibility
- 24V DC

1

4

SMD 5050


120°

incl. mountingset

5 cable (4x V-, V+)

-15° to + 50° C

after 83,3 mm | 8 LED



item		color temperature	LED's	power	dim. (L x W x H)	Lumen Stripe	Lumen Meter	IP	EEK*	Euro
840145	 	2800 K 450 - 630 nm	480	65,00 W	5000 x 15 x 5,5 mm	2600 lm	520 lm	67	A	199,00
840218	 	4200 K 450 - 630 nm	480	115,00 W	5000 x 15 x 4 mm	3400 lm	680 lm	67	A	199,00
840219	 	6200 K 450 - 630 nm	480	115,00 W	5000 x 15 x 4 mm	3500 lm	700 lm	67	A	199,00

IP SCHUTZ



IP PROTECTION AREAS

ZONE 0

Low voltage [max. 12 V] is mandatory in bath and shower tubs. Minimum IP protection is IP X7 [secured against incoming water].

ZONE 1

IP X5 [max. 50 V] is prescribed in the wall area of showers and in the tile area subject to spray water.

ZONE 2

IP X4 is prescribed for areas that are at a distance of 60 cm from zone 1.


ZONE 3

Outside zones 0 to 2, no specific IP protection is required, provided no direct water jet is used for cleaning.

PROTECTION CLASSES & ISOLATION CLASSES

Lights and other electric devices have a housing that protects live parts against contact, humidity or other environmental influences. This protection depends on the respective implementation area. For an overview of the appropriate intended use, **all devices are assigned a protection class according to a VDE classification** and an **isolation class**. The protection classes are indicated in accordance **with DIN 40050**.

IP67



2nd figure
PROTECTION AGAINST WATER

1st figure
PROTECTION AGAINST FOREIGN BODIES (e.G. Dust)

CODE LETTERS

IP PROTECTION AGAINST FOREIGN BODIES AND CONTACT

1ST figure PROTECTION AGAINST CONTACT

- 0 no protection
- 1 large body parts (e.g. back of the hand)
- 2 finger
- 3 tools and wires ($\varnothing > 2.5$ mm)
- 4 tools and wires ($\varnothing > 1$ mm)
- 5 full contact protection
- 6 full contact protection

1ST figure PROTECTION AGAINST FOREIGN BODIES

- 0 no protection
- 1 large foreign bodies ($\varnothing > 50$ mm)
- 2 medium foreign bodies ($\varnothing > 12$ mm)
- 3 small foreign bodies ($\varnothing > 2.5$ mm)
- 4 grain-form foreign bodies ($\varnothing > 1$ mm)
- 5 dust deposit
- 6 dust penetration

IP PROTECTION WATER

2ND figure PROTECTION AGAINST WATER

- 0 no protection
- 1 protection against vertical falling dripwater
- 2 protection against inclined (up to 15°) falling dripwater
- 3 protection against spraywater up to 60° against the vertical



- 4 protection against spraywater all around
- 5 protection against hose water
- 6 protection against strong water jet
- 7 protection against temporary immersion
- 8 protection against sustained immersion



TECHNICAL INFORMATION


DEFINITION OF LIGHT

For a better understanding, light can be defined as an **electromagnetic wave**. The human eye can only observe the electromagnetic waves that lie in the so-called viewable area. There are also further waves with other frequencies that are not visible as a color to our eye. The intended use of these waves is explained by the assignment of names. The whole **electromagnetic spectrum** ranges from **radio waves** belonging to the **lowest energy** long waves, to **X-rays** and **gamma rays of atomic nuclei**, belonging to **the most energy-rich** waves. On the contrary, the viewable area is only a small part of this spectrum. It varies between **380nm (purple)** and **780nm (red)**.



BINNINGS

Production tolerances are inevitable for the manufacturing of LEDs. They are due to very small parameter deviations. For the time being, it is not possible to specifically create a certain color temperature with a minimum tolerance. Based on these tolerances, the LEDs are sorted according to their deviation and stored in different bins. The quality of a lighting device with several LEDs increases according to the narrowness of tolerances that are set for the bins.



ALL UNDER CONTROL

Controllers allow to switch on and off, dim and change the light colours, or they can run effect programming via remote control. Several controllers can be linked and controlled synchronously via a network cable connection.



RF CONTROLLER



SINGLE RF CONTROLLER

For controlling
1 channel end devices


- Set consists of:
- » Controller box, remote control and wall bracket
 - » **Output:** 180W / 12V DC | 360W / 24V DC
 - » Dimmable
 - » 4 Effect programs
 - » **Connection control:** 2x V+, 2x V-
 - » **Dimensions** (L x W x H): 110 x 52 x 20 mm

843022 99.00 €



accessories for 843022:		
843151	Controller	89,00 €
843014	Remote control	25,00 €
843013	Wall bracket	12,50 €
843031	Wifi-Box	72,50 €

RF-TOUCH PANEL | WITH 4-ZONE-FUNCTION | 4 areas separately controlled




TOUCHPANEL RF SINGLE

For controlling
1-channel end devices (e.g. Single Color LED Stripe)

- » dimmable
- » 4 Effect programs
- » Speed setting
- » **Connection control:** 2x V+, 2x V-
- » **dim.** (L x W x H): 86,5 x 86,5 x 31,1 mm

843018 85,00 €



WHITE RF CONTROLLER

For controlling
warm white/cold white end devices

- Set consists of:
- » Controller box, remote control and wall bracket
 - » Output: 180W / 12V DC | 360W / 24V DC
 - » Warm white and cold white single dimmable
 - » 9 Effect programs
 - » **Connection control:** WW, V+, CW, V+
 - » **Dimensions** (L x W x H): 110 x 52 x 20 mm

843023 99.00 €




accessories for 843023:		
843152	Controller	89,00 €
843015	Remote control	25,00 €
843013	Wall bracket	12,50 €
843031	Wifi-Box	72,50 €

TOUCHPANEL RF WHITE

For controlling
Warm white/ cold white end devices

- » Warm white and cold white separately dimmable
- » 9 Effect programs
- » Speed setting
- » **Connection control:** WW, V+, CW, V+
- » **dim.** (L x W x H): 86,5 x 86,5 x 31,1 mm

843019 85,00 €




COLOR RF CONTROLLER

For controlling
RGB end devices

- Set consists of:
- » Controller box, remote control and wall bracket
 - » **Output:** 180W / 12V DC | 360W / 24V DC
 - » Red, green and blue single dimmable
 - » 13 Effect programs
 - » **Connection control:** R V+, G V+, B V+
 - » **Dimensions** (L x W x H): 110 x 52 x 20 mm

843024 99.00 €




accessories for 843024:		
843153	Controller	89,00 €
843016	Remote control	25,00 €
843013	Wall bracket	12,50 €
843031	Wifi-Box	72,50 €

TOUCHPANEL RF COLOR

For controlling
RGB end devices

- » red, green and blue separately dimmable
- » 13 Effect programs
- » Speed setting
- » **Connection control:** R V+, G V+, B V+
- » **dim.** (L x W x H): 86,5 x 86,5 x 31,1 mm

843020 85,00 €




COLOR & WHITE RF CONTROLLER

For controlling
RGB + white end devices

- Set consists of:
- » Controller box, remote control and wall bracket
 - » **Output:** 180W / 12V DC | 360W / 24V DC
 - » Red, green, blue and white single dimmable
 - » 12 Effect programs
 - » **Connection control:** R,G,B, V+, W, V+
 - » **Dimensions** (L x W x H): 110 x 52 x 20 mm

843025 109.00 €




accessories for 843025:		
843154	Controller	99,00 €
843017	Remote control	30,00 €
843013	Wall bracket	12,50 €
843031	Wifi-Box	72,50 €

TOUCHPANEL RF COLOR & WHITE

For controlling
RGB + white end devices

- » red, green, blue and white separately dimmable
- » 12 Effect programs
- » Speed setting
- » **Connection control:** R,G,B, V+, W, V+
- » **dim.** (L x W x H): 86,5 x 86,5 x 31,1 mm


843021 89,00 €




1 CHANNEL

CONNECTION SCHEME | 1 CHANNEL LED CONTROL


RF REMOTE CONTROL
SENDER
COMBINABLE



LED-CONTROL
RECEIVER



END DEVICES [EXAMPLES]
FROM DIFFERENT
SCOPES OF APPLICATION



--- Sync-Function
--- Sync-Function expandable as desired


4 CHANNEL

CONNECTION SCHEME | 4 CHANNEL LED CONTROL


RF REMOTE CONTROL
SENDER
COMBINABLE



LED-CONTROL
RECEIVER



END DEVICES [EXAMPLES]
FROM DIFFERENT
SCOPES OF APPLICATION



--- Sync-Function
--- Sync-Function expandable as desired

SC-104 SWITCH CONTROLLER



- » For buttons
- » Is easily integrated in the current installation (2 lines, potential-free)
- » 4 exits available
- » Highly uniform upward and downward dimming (without flickering)
- » Soft Start
- » Memory function (last dimming step is retained during a power failure)
- » ABS-PC-housing with removable DIN top-hat rail adapter

Controller 0-10 Volt / 1-10 Volt
accessories Top-hat rail retaining clip
dim. (L x W x H): 115 x 57 x 25 mm

843338 black **59,00 €**

15-36 Volt

The **SC-104** allows you to convert a customary button **into a universal dimmer**. A 1-10 V and 0-10 V output signal enables to manage different ballast units and controllers. LED end devices are thus controlled in a traditional and customary manner through a button. A perfect solution for each living space.



ART 4

- » PWM out for the direct control of LED devices
- » Output of DMX 512 for controlling further dimmers
- » Control element and controller via touchwheel
- » Fade times of 0-4 seconds possible

DMX out 4-pin green terminal
DC in | PWM out 7-pin green terminal
Power out 4 channels each 2A

dim. (L x W x H): 86 x 86 x 15,3 mm

843000 black **179,00 €**

12-24 Volt max 8A DMX

The **ART 4** controller is a touch panel for playing and editing color programs, specifically for RGBW end devices. Up to 4 atmospheres and up to 4 scenes can be saved and retrieved. Thee ART-4 contains 4 function menus: Selection of integrated programs, color, brightness, speed setting. Scenes and atmospheres are created in a quick and userfriendly manner. As a design element, the ART 4 controller is ideally suited in the environment and is an appropriate choice both for hotels and auditoriums and the home and living space.



ART 9

- » Control element and controller via touchwheel
- » Fade time setting for switch on/off and color change
- » Function memory and power failure protection

DMX out 4 Pin green terminal
Link in 4 Pin green terminal
Link out 4 Pin green terminal
DC in | PWM out 7 Pin green terminal
4 channels each 2A, max. 8A in total

dim. (L x W x H): 172 x 86 x 15,3 mm

843003 black **199,00 €**

12-24 Volt max 8A DMX

The **ART 9** controller is a touch panel for playing and editing color programs, specifically for RGBW end devices. Up to 9 atmospheres and up to 9 scenes can be saved and retrieved. The ART-4 contains 4 function menus: Selection of integrated programs, color, brightness, speed setting. Scenes and atmospheres are created in a quick and user-friendly manner. As a design element, the ART 9 controller is ideally suited in the environment and is an appropriate choice both for hotels and auditoriums and the home and living space.



LED DIMMER 2

Simple and powerful **1-2 channel dimmer**. To be used as a single device or in connection with a control panel in an assembly.

power 288W / 12 - 24V DC
Connection 4 terminals (2xV / 2x V-)
Controller DMX, 0-10V, manual, automatic

dim. (L x W x H): 115 x 57 x 25 mm

843336 black 65,00 €



LCD DIMMER 3

To be used as a **1 or 3 channel** dimmer (Control via a DMX address). A manual mode allows the 3 channels on the device to be dimmed separately. Includes 27 colour change programs and master/slave function. All settings are retrieved via a simple menu on a LCD display.

power 432W / 12 - 24V DC
Connection 4 terminals (R,G,B,V+)
Accessories incl. 2 m CAT5 cable (RJ45)
Controller DMX, manual, automatic

dim. (L x W x H): 116 x 57 x 23,8 mm

843335 black 70,00 €



LCD DIMMER 4

To be used as a **1, 2 and 4 channel** dimmer. A manual mode allows the 4 channels on the device to be dimmed separately. Includes master/ slave function, master dimmer and 13 colour change programs, which can be adjusted in speed. All settings are retrieved via a simple menu on a LCD display.

power 480W / 12 - 24V DC
Connection 5 terminals (V+ , R, G, B, W)
accessories incl. 2 m CAT5 cable (RJ45)
Controller DMX, manual, automatic


dim. (L x W x H): 116 x 57 x 23,8 mm

843337 black 75,00 €




12V | not dimmable

Item	Volt	Watt	Dimensions	IP	Dimmable	Euro
872659	12	50	184 x 61 x 32 mm	20	no	49,00
862055	12	100	184 x 61 x 32 mm	20	no	99,00



Item	Volt	Watt	Dimensions	IP	Dimmable	Euro
872608	12	75	186 x 64 x 39 mm	67	no	85,00
872609	12	150	224 x 70 x 40 mm	67	no	139,00
872648	12	200	249 x 70 x 40 mm	67	no	149,00




12V | dimmable via phase angle or trailing edge

Item	Volt	Watt	Dimensions	IP	Dimmable	Euro
862051	12	25	122 x 52 x 30 mm	20	yes	39,00
862053	12	50	184 x 61 x 32 mm	20	yes	65,00
862091	12	100	210 x 67 x 34 mm	20	yes	129,00



12V | dimmable via 1 - 10 Volt

Item	Volt	Watt	Dimensions	IP	Dimmable	Euro
872011	12	150	223 x 70 x 40 mm	67	yes	129,00




24V | not dimmable

Item	Volt	Watt	Dimensions	IP	Dimmable	Euro
872660	24	50	184 x 61 x 32 mm	20	no	49,00
872661	24	75	184 x 61 x 32 mm	20	no	59,00
862056	24	100	184 x 61 x 32 mm	20	no	99,00



Item	Volt	Watt	Dimensions	IP	Dimmable	Euro
872619	24	75	186 x 64 x 39	67	no	85,00
872620	24	150	224 x 70 x 40 mm	67	no	139,00
872649	24	240	249 x 70 x 40 mm	67	no	159,00



Design examples



24V | dimmable via phase angle or trailing edge

Item	Volt	Watt	Dimensions	IP	Dimmable	Euro
862052	24	25	122 x 52 x 30 mm	20	yes	39,00
862054	24	50	184 x 61 x 33 mm	20	yes	65,00
862092	24	100	210 x 67 x 34 mm	20	yes	129,00



24V | dimmable via DMX 512

Item	Volt	Watt	Dimensions	IP	Dimmable	Euro
843275	24	135	196 x 75 x 40 mm	20	yes	149,00



24V | dimmable via 1 - 10 Volt

Item	Volt	Watt	Dimensions	IP	Dimmbar	Euro
872012	24	150	223 x 70 x 40 mm	67	yes	129,00



24V | dimmable via DALI 4-Channel

Item	Volt	Watt	Dimensions	IP	Dimmable	Euro
843278	24	40	122 x 78 x 32 mm	20	yes	69,00



24V | dimmable via DALI 4-Channel

Item	Volt	Watt	Dimensions	IP	Dimmable	Euro
843010	12-24	480	167 x 51 x 23 mm	20	yes	100,00



24V | dimmable via 1 - 10 Volt

Item	Volt	Watt	Dimensions	IP	Dimmable	Euro
872817	24	60	280 x 30 x 27,5 mm	20	yes	79,00



Design examples



TECHNICAL LUMINAIRES

Linear light cannot meet all requirements at all times. For this reason, we are supplementing our Linear Catalogue with essential decor and lighting products so you can meet all your planning requirements in full.





LED PANEL ROUND III

Item	Color				Temperature	Lumen	mA	Volt	Power	LED's	Dimension (H x Ø)	Cutout	EEK*	Euro
565229	white	☐	ww		3000 K	620	350	17,9	6,30 W	42	34 x 106 mm	90 mm	A+	59,00
565230	white	☐	nw		4000 K	630	350	17,9	6,30 W	42	34 x 106 mm	90 mm	A+	59,00
565231	white	☐	ww		3000 K	1310	350	35,7	12,50 W	84	36 x 140 mm	125 mm	A+	79,00
565232	white	☐	nw		4000 K	1320	350	35,7	12,50 W	84	36 x 140 mm	125 mm	A+	79,00
565233	white	☐	ww		3000 K	1980	700	28,0	20,00 W	108	38 x 180 mm	160 mm	A	99,00
565234	white	☐	nw		4000 K	1970	700	28,0	20,00 W	108	38 x 180 mm	160 mm	A+	99,00
565235	white	☐	ww		3000 K	2680	700	37,0	26,00 W	144	38 x 230 mm	200 mm	A	119,00
565236	white	☐	nw		4000 K	2690	700	37,0	26,00 W	144	38 x 230 mm	200 mm	A+	119,00



accessories:			
180512	LED power supply, 350mA 18W	20,00 €	
872641	LED power supply, 700mA 35W	32,00 €	
872642	LED power supply, dimmable 350mA 9W	27,00 €	
872644	LED power supply, dimmable 350mA 20W	34,00 €	
872646	LED power supply, dimmable 700mA 22W	35,00 €	
843276	LED power supply, dimmable 700mA 40W	69,00 €	
	Adjustable Dali power supply 350mA - 3-75V 28W, 500mA - 3-75V 40W, 700mA - 3-58V 40W, 1050mA - 3-39V 40W		
862137	LED power supply, dimmable 700mA 40W	49,00 €	



COB 95 | 130 | 170 | 210

Item	Color				Temperature	Lumen	mA	Volt	Power	LED's	Dimension (H x Ø)	Cutout	EEK*	Euro
565007	white	☐	ww		3000 K	1200	350	34,8	13,00 W	1	53 x 110 mm	95 mm	A+	75,00
565010	white	☐	nw		4000 K	1000	350	34,8	13,00 W	1	53 x 110 mm	95 mm	A+	75,00
565180	white	☐	ww		3000 K	1360	500	35,7	18,00 W	1	69 x 145 mm	130 mm	A+	95,00
565181	white	☐	nw		4000 K	1451	500	35,7	18,00 W	1	69 x 145 mm	130 mm	A	95,00
565182	white	☐	ww		3000 K	2200	700	28,0	25,00 W	1	86 x 190 mm	170 mm	A+	125,00
565183	white	☐	nw		4000 K	2000	700	28,0	25,00 W	1	86 x 190 mm	170 mm	A+	125,00
565184	white	☐	ww		3000 K	3000	1050	37,0	37,00 W	1	99 x 230 mm	210 mm	A+	149,00
565185	white	☐	nw		4000 K	3200	1050	37,0	37,00 W	1	99 x 230 mm	210 mm	A+	149,00



accessories:			
180512	LED power supply, 350mA 18W	20,00 €	
872662	LED power supply, 700mA 30W	25,00 €	
843276	LED power supply DALI, 40W	69,00 €	
862068	LED power supply, dimmable 350mA 15W	30,00 €	
872645	LED power supply, dimmable 500mA 22W	35,00 €	
862137	LED power supply, dimmable 700mA 40W	49,00 €	
862022	LED power supply, dimmable 1050mA 40W	55,00 €	



COB-68-350MA-RUND

Item	Color		Temperature	Lumen	mA	Power	LED's	dim. (H x Ø)	Cutout	EEK*	Euro
565278	silver brushed		2700 K	580	350	6,00 W	1	46 x 78 mm	68 mm	A++	45,00
565279	white		2700 K	580	350	6,00 W	1	46 x 78 mm	68 mm	A++	45,00
565280	silver brushed		4000 K	660	350	6,00 W	1	46 x 78 mm	68 mm	A++	45,00
565281	white		4000 K	660	350	6,00 W	1	46 x 78 mm	68 mm	A++	45,00

CC

350 mA

16-17 Volt

COB

Ra>90

45°

25°

50

accessories:

180512 LED power supply, 350mA | 18W 20,00 €

872642 LED power supply, dimmable 350mA | 9W 27,00 €

We recommend to use one power supply unit per luminaire.



COB-68-350MA-SQUARE

Item	Color		Temperature	Lumen	mA	Power	LED's	Dimension (H x Ø)	Cutout	EEK*	Euro
565282	silver brushed		2700 K	580	350	6,00 W	1	78 x 46 mm	68 mm	A++	47,00
565283	white		2700 K	580	350	6,00 W	1	78 x 46 mm	68 mm	A++	47,00
565284	silver brushed		4000 K	660	350	6,00 W	1	78 x 46 mm	68 mm	A++	47,00
565285	white		4000 K	660	350	6,00 W	1	78 x 46 mm	68 mm	A++	47,00

CC

350 mA

16-17 Volt

COB

Ra>90

45°

25°

50

accessories:

180512 LED power supply, 350mA | 18W 20,00 €

872642 LED power supply, dimmable 350mA | 9W 27,00 €

We recommend to use one power supply unit per luminaire.



COB-95-24V-ROUND

Item	Color		Temperature	Lumen	mA	Power	LED's	Dimension (H x Ø)	Cutout	EEK*	Euro
565307	silver brushed		2700 K	900	-	12,00 W	1	55 x 115 mm	95 mm	A+	85,00
565308	white		2700 K	900	-	12,00 W	1	55 x 115 mm	95 mm	A+	85,00
565309	silver brushed		4000 K	1000	-	12,00 W	1	55 x 115 mm	95 mm	A+	85,00
565310	white		4000 K	1000	-	12,00 W	1	55 x 115 mm	95 mm	A+	85,00

CV

24V AC/DC

12 Watt

COB

Ra>90

45°

30°

53

accessories:

180512 LED power supply, 350mA | 18W 20,00 €

872636 power supply | 24V | 20W 19,00 €

843022 RF-Single Controller 99,00 €

862054 LED power supply dimmable, 24V | 50W 65,00 €



LED PANEL ECO LINE

Item	Color		Temperature	Lumen	Power	LED's	Dimension (L x W x H)	For Raster	EEK*	Euro
100027	white		3000 K	3960	40,00 W	216	620 x 620 x 10 mm	625 x 625 mm	A+	139,00
100030	white		4000 K	3970	40,00 W	216	620 x 620 x 10 mm	625 x 625 mm	A	139,00
100031	white		6000 K	3850	40,00 W	216	620 x 620 x 10 mm	625 x 625 mm	A	139,00

220-240 Volt

40 Watt

SMD

216 LED

120°



LED PANEL TRANSPARENT

Item	Color		Temperature	Lumen	Power	LED's	Dimension (L x W x H)	Max. Suspension	UGR	EEK*	Euro
342077	black	WW	3000 K	6000	50,00 W	240	1195 x 295 x 11 mm	1,5 m	<19	A+	299,00
342080	black	NW	4000 K	6000	50,00 W	240	1195 x 295 x 11 mm	1,5 m	<19	A++	299,00
342078	silver	WW	3000 K	6000	50,00 W	240	1195 x 295 x 11 mm	1,5 m	<19	A+	299,00
342081	silver	NW	4000 K	6000	50,00 W	240	1195 x 295 x 11 mm	1,5 m	<19	A++	299,00
342079	white	WW	3000 K	6000	50,00 W	240	1195 x 295 x 11 mm	1,5 m	<19	A+	299,00
342082	white	NW	4000 K	6000	50,00 W	240	1195 x 295 x 11 mm	1,5 m	<19	A++	299,00



LED PANEL TRANSPARENT | ROUND

Item	Color		Temperature	Lumen	Power	LED's	Dimension (H x Ø)	Max. Suspension	UGR	EEK*	Euro
342089	black	WW	3000 K	6000	50,00 W	312	12,50 x 580 mm	1,5 m	<19	A+	349,00
342092	black	NW	4000 K	6000	50,00 W	312	12,50 x 580 mm	1,5 m	<19	A+	349,00
342090	silver	WW	3000 K	6000	50,00 W	312	12,50 x 580 mm	1,5 m	<19	A+	349,00
342093	silver	NW	4000 K	6000	50,00 W	312	12,50 x 580 mm	1,5 m	<19	A+	349,00
342091	white	WW	3000 K	6000	50,00 W	312	12,50 x 580 mm	1,5 m	<19	A+	349,00
342094	white	NW	4000 K	6000	50,00 W	312	12,50 x 580 mm	1,5 m	<19	A+	349,00





SCULPTORIS SERIE

Modern elegance on the ceiling: the Sculptoris range includes suspended and ceiling mounted luminaires in matt white aluminium, which can be used in many different ways and applications owing to their different sizes, outputs and colour temperatures. Available in warm white (4,000 K) and neutral white (3,000 K) versions, the suspended pendant luminaires provide object-related lighting, while the ceiling-mounted variants can light up large areas and even wall-mounted luminaires are an option, being both subtle and impressive at the same time.



SCULPTORIS | CEILING MOUNTED

Item	Color		Temperature	Lumen	Power	LED`s	Dimension (H x Ø)	EEK*	Euro
348103	white mat	☐ WW	3000 K	1100	26,00 W	168	130 x 450 mm	A	199,00
348104	white mat	☐ NW	4000 K	1300	26,00 W	168	130 x 450 mm	A	199,00
348105	white mat	☐ WW	3000 K	1800	40,00 W	216	130 x 600 mm	A	249,00
348106	white mat	☐ NW	4000 K	2000	40,00 W	216	130 x 600 mm	A	249,00



SCULPTORIS | PENDANT LUMINAIRES

Item	Color		Temperature	Lumen	Power	LED`s	Dimension (H x Ø)	Max. Suspension	EEK*	Euro
342122	white mat	☐ WW	3000 K	1100	26,00 W	168	130 x 450 mm	1,2 m	A	229,00
342123	white mat	☐ NW	4000 K	1300	26,00 W	168	130 x 450 mm	1,2 m	A	229,00
342124	white mat	☐ WW	3000 K	1800	40,00 W	216	130 x 600 mm	1,2 m	A	279,00
342125	white mat	☐ NW	4000 K	2000	40,00 W	216	130 x 600 mm	1,2 m	A	279,00



EURO LED II

Item	Color		Temperature	Lumen	Power	LED`s	Dimension (H x Ø)	EEK*	Euro
348016	white	☐ WW	3000 K	1347	16,00 W	39	82 x 275 mm	A	49,00
348017	white	☐ NW	4000 K	1437	16,00 W	39	82 x 275 mm	A	49,00
348018	white	☐ WW	3000 K	1792	20,00 W	60	81 x 350 mm	A	79,00
348019	white	☐ NW	4000 K	2074	20,00 W	60	81 x 350 mm	A	79,00
348020	white	☐ WW	3000 K	3706	40,00 W	102	102,5 x 450 mm	A	129,00
348021	white	☐ NW	4000 K	3429	40,00 W	102	102,5 x 450 mm	A	129,00



BARRO

Item	Material	Color	Power	Dimension (H x Ø)	Max. Suspension	Euro
299365	aluminum	silver 	50,00 W	300 x 68 mm	1,5 m	85,00



Die Leuchten sind geeignet for Leuchtmittel der Energieeffizienzklassen A++ to E



NAOS

Item	Material	Color	Power	Dimension (L x W x H)	Euro
348048	Concrete	grey 	25,00 W	70 x 70 x 112 mm	79,00



Die Leuchten sind geeignet for Leuchtmittel der Energieeffizienzklassen A++ to E



POLARIS

Item	Material	Color	Power	Dimension (L x W x H)	Max. Suspension	Euro
342095	Concrete	grey 	35,00 W	70 x 70 x 250 mm	1,2 m	65,00



The lamps are compatible for light sources of energy efficiency classes A++ to E



NAOS I

Item	Material	Color	Power	Dimension (H x Ø)	Euro
348049	Concrete	grey 	25,00 W	112 x 70 mm	79,00



The lamps are compatible for light sources of energy efficiency classes A++ to E



POLLUX

Item	Material	Color	Power	Dimension (H x Ø)	Max. Suspension	Euro
342096	Concrete	grey 	50,00 W	250 x70 mm	1,2 m	65,00



The lamps are compatible for light sources of energy efficiency classes A++ to E



CUBE

Item	Material	Color	Power	Dimension (L x W x H)	Euro
341183	Concrete	grey 	25,00 W	115 x 115 x 115 mm	69,00
341184	Concrete	dark grey 	25,00 W	115 x 115 x 115 mm	69,00
341185	Concrete	beige 	25,00 W	115 x 115 x 115 mm	69,00



The lamps are compatible for light sources of energy efficiency classes A++ to E



GIULIA II

Item	Material	Color	Power	Dimensions (L x W x H)	Euro
341186	Concrete	grey	25,00 W	70 x 100 x 120 mm	59,00



The lamps are compatible for light sources of energy efficiency classes A++ to E



ARIANNA II

Item	Material	Color	Power	Dimensions (L x W x H)	Euro
341187	Concrete	grey	25,00 W	200 x 85 x 120 mm	75,00



The lamps are compatible for light sources of energy efficiency classes A++ to E



LIGHT **BASE** COB | INDOOR

The LIGHT BASE series offers plenty of possibilities for accentuating objects with the covers coming in two different versions and in three colours each. The series is optimally suitable as orientation lighting and thus serves above all others the purpose of safety. The covers direct the light down to create a glare-free, yet effective lighting solution.



Assembling: standard installation built-in box

LIGHT BASE COB INDOOR

Item	Color	Temperature	Lumen	mA	Power	LED's	Dimensions (L x W x H)	Cutout	EEK*	Euro
563000	white	3000 K	152	700	2,20 W	1	85 x 85 x 36 mm	58 mm	A	29,00
563001	silver grey	3000 K	136	700	2,20 W	1	85 x 85 x 36 mm	58 mm	A	29,00
563002	black	3000 K	131	700	2,20 W	1	85 x 85 x 36 mm	58 mm	A	29,00



- accessories:
- 872027 LED power supply | 700mA | 4W 9,00 €
 - 872015 LED power supply dimmable | 700mA | 4W 15,00 €



COVER | SQUARE

Item	Color	Dimensions (L x W x H)	Euro
930130	white	85 x 85 x 25 mm	10,00
930131	silver grey	85 x 85 x 25 mm	10,00
930132	black	85 x 85 x 25 mm	10,00



COVER | ROUND

Item	Color	Dimensions (L x W x H)	Euro
930127	white	85 x 85 x 25 mm	10,00
930128	silver grey	85 x 85 x 25 mm	10,00
930129	black	85 x 85 x 25 mm	10,00



TECHNISCHE INFORMATIONEN

LIGHT CURRENT

LETTER SYMBOL: **PHI**

MEASURING UNIT: **Im - LUMEN**

The luminous flux describes the light quantity that is shed from a light source in all directions. The luminous flux is not measured, but it is calculated on the basis of the measurement values of the light intensity and the information on the spreading geometry.

LIGHT INTENSITY

LETTER SYMBOL: **I**

MEASURING UNIT: **cd - CANDELA**

A light source irradiates with different intensities in the single directions. The light flow that irradiates in a specific direction is called light intensity and is expressed in Candela units.

PROTECTION CLASSES

Lights and other electric devices have a housing that protects live parts against contact, humidity or other environmental influences. This protection depends on the respective implementation area. For an overview of the appropriate intended use, all devices are assigned a protection class according to a VDE classification and an isolation class. The protection classes are indicated in accordance with DIN 40050.

MATERIALS | PROFILES

AlMgSi0,5 F25

MATERIALS | COVER

PMMA = Polymethylmethacrylat | **PC** = Polycarbonat

In the development of our covers, the end result in terms of light and colour rendering is our top priority. Thus, whenever possible, we use PMMA (polymethylmethacrylate) as the refractive index of this plastic material comes closest to the refractive index of air. The user thus receives an optimal lighting output, which should compensate in any case for the possibly more elaborate processing of the solution. In special cases, however, we also use PC (polycarbonates) in our covers.

This allows us to develop and produce particularly break-resistant and heat-resistant covers that can be used, for example, in sauna areas and can be cut without causing any splinters due to their elasticity. In addition, we also make use of Makrolon, which allows us to design covers that are walkable and, in the case of our outdoor profile covers, can even be passed by heavy vehicles. In the development of all of our polycarbonate covers we have done everything in our power to keep possible losses in relation to the lighting properties as low as possible.

BELEUCHTUNGSSTÄRKE

KURZZEICHEN: **E**

DIM.INHEIT: **lx - LUX**

Ist ein Maß für das auf eine Fläche auftretende Licht. Ihre Einheit ist Lux (lat. Helligkeit). Sie nimmt mit der Entfernung zur Lichtquelle ab. Hinweise über die erforderliche Beleuchtungsstärke finden sich in den Normen (z.B. EN 12464 „Beleuchtung von Arbeitsstätten“).

LIGHT DENSITY


MEASURING UNIT: **cd /m²**

This is a measurement for the brightness of an illuminated surface that is caught by the eye, according to the reflection degree.

IDENTIFICATION OBLIGATION FOR ELECTRIC LAMPS AND LIGHTS

Decree (EU) no. 874 2012 establishes specific requirements for the identification of electric lamps and lights. This identification obligation refers to the labeling of electric lamps and lights with specific information for the end user. The information on these labels are stated in the catalogue as follows:

EXAMPLE OF LABEL FOR ELECTRIC LIGHTS



COLOR DISPLAY INDEX

RA

The **color display index** means the extent to which the viewed body color matches its appearance under the respective reference light source. The lower the deviation, the better the color display feature.

A light source with Ra = 100 displays all colors very precisely. The lower the Ra value, the lesser the display correctness of the colors. The Ra value is measured by the first 8 test colors.



Ra 70-80

Medium color display



Ra 80-90

Good color display



Ra 90-100

Very good color display

OVERVIEW ICONS

ELECTRIC CHARACTERISTICS



110-240 Volt



24 Volt

Operating voltage range of product
Alternative current [AC] /
Direct current [DC]



CV



24 Volt

constant voltage + operating voltage



CC



350 mA

constant current + amperage



5 Watt



max.360 Watt

Power consumption +
maximum power consumption

MOUNTING



90:90



100

Cutout dimension in mm



120

Mounting depth in mm

SURFACE



NANO coating IP XX [see product description]
Lotus effect: Water rolls off and takes all dirty
surface particles with it.



Surface paintable / individual design

WW

NW

CW

RGB

R

G

B

A

V

Light color [color temperature]

FUNCTIONALITY



120°

Radiation angle



↺



↻



↻↺

Swivel-mounted + rotatable +
rotatable and swivel-mounted



90°

Max. inclination angle



Radiation direction

CONTROLLER



RF

Radio frequency control



WiFi

WiFi control



DMX

DMX control



dimmable



Ra>90

Color display

LAMP

COB

SMD

LED Technologie:
chip on board + surface mounted device

LED

600 LED

[Number] LED not exchangeable

SMD 5050

LED type and design

GU10



Base of lamp + Halogen and LED applicable
[included in delivery scope]

SAVETY

IP65

IP protection class



Safety lamp control gear



Independent device for lamps



Lamps may be installed on fixtures of materials,
the fire behavior of which is not always known.

110

Max. surface temperature of
lamp control gear



Protection class I



LINEAR LIGHT
20
19

Our general terms and conditions apply. Errors and availability reserved.



Deko-Light
Elektronik Vertriebs GmbH
Auf der Hub 2
76307 Karlsbad

exporteu@deko-light.com
deko-light.com
shop.deko-light.com